

# Helping you get on with business



Established in 1976, Global Industrial has developed a strong client base across many industry sectors in Australia. We specialise in wholesaling and retailing commercial and industrial equipment and provide storage solutions to small businesses, tradesmen, industry and commercial, mining and domestic clients.

By sourcing products from a range of international suppliers and manufacturers, we can supply our customers with a multitude of quality products and storage solutions. We provide professional service and in-depth knowledge of the products that we sell.

### **GLOBAL'S MISSION STATEMENT**

To supply the greatest number of consumers with quality products at the lowest prices using exceptional customer service to satisfy their product needs.





Racking & Shelving	
Pallet racking	6
Rolled formed box beam	7
HDG beam	7
Frames	8
Pallet racking accessories	9
Pallet racking gallery	11
Cantilever racking	12
Light duty cantilever	13
Medium and heavy-duty cantilever	13
Longspan shelving	14
Gondola shelving	15
Galvanised rivet shelving	16
Rolled upright type (RUT) shelving	16
Global rack workbenches	17
Longspan workbenches	17
Shelving gallery	18
Mezzanine Floors & Barriers	
Mezzanine floors	19
Mezzanine floor gallery	20
Clamp style hand rail	21
Bollards	22
Steel mesh	22

Office Storage	
Cabinets	23
ockers	24
Parts Storage	
tackable parts bins	25
arts trays	25
arts bins for louvered panels	26
tackable & nestable crates	26
Nobile parts trolley	27
ouvered panels	27
Materials Handling	
tackable stillages	28
tillage mesh cages	28
Galvanised mesh cages	29
Galvanised pallet wire cages	29
Castor wheels	30
	30
allet jacks	00



### **Tool Boxes**

Tool boxes	32
Under tray tool boxes	33
Tapered under tray tool boxes	33
Under tray drawer	34
Gullwing tool boxes	34
705 series – steel half open tool boxes	35
705 series – steel full open tool boxes	35
705 series – steel mine boxes	36
850 series – steel half open tool box	36
850 series – steel mine boxes	37
850 Series – SBS (Side by Side) 4 drawer tool box	37
850 Series – steel full open tool box	38
950 Series – 8 drawer steel mine boxes	38
950 Series – steel mine boxes	39
950 Series – steel four drawer tool boxes	39
950 Series – steel full open tool boxes	40
950 Series – truck boxes	40
850 Series – cross tray boxes	41
Truck underbody tool boxes	41
Steel job site tool boxes	42

### Notes

Notes 43




Racking & Shelving



### **PALLET RACKING**


Apex pallet racking has been designed and engineered in Australia and complies with Australian Standard 4084-2012. Selective pallet racking is the most common type of pallet racking used in Australia today, but there are many variations of pallet racking such as drive-in, narrow aisle, double deep, archive, cable, vertical, tyre and carpet rack, all of which can be constructed with Global Rack components.



### Roll formed box beam

Our roll formed box beams are designed to withstand a higher level of impact and retain their shape better than some other types of beam sections on the market. Our beams are powder coated in orange and use a simple, punched key-lock design connector with spring-locking safety clips.

BEAM LENGTH	BOX SECTION	CONNECTOR
1372mm	80 × 40mm	3 pin
1524mm	80 × 40mm	3 pin
1829mm	80 × 40mm	3 pin
2134mm	80 × 40mm	3 pin
2438mm	80 × 40mm	3 pin
2591mm	80 × 40mm 90 × 50mm 100 × 50mm 120 × 50mm 140 × 50mm	3 pin 3 pin 3 pin 4 pin 4pin
2743mm	80 × 40mm 90 × 50mm 100 × 50mm 120 × 50mm 140 × 50mm	3 pin 3 pin 3 pin 4 pin 4 pin
3048mm	120 × 50mm	4 pin
3353mm	120 × 50mm	4 pin
3658mm	140 × 50mm	4 pin
3810mm	140 × 50mm	4 pin
4267mm	140 × 50mm	4 pin
4877mm	140 × 50mm	4 pin






### **HDG** beam

Our hot-dipped galvanised beams are made from a rectangular hollow section and are typically used for outdoor applications. The hot dipped galvanised surface treatment makes them more resistant to rust.

BEAM LENGTH	BOX SECTION	CONNECTOR
1372mm	75 × 50mm	3 pin
2591mm	75 × 50mm 100 × 50mm 125 × 50mm	3 pin 3 pin 4 pin
2743mm	75 × 50mm 100 × 50mm 125 × 50mm	3 pin 3 pin 4 pin



### **Frames**

Several frame grades are available depending on the load required; these are identifiable with a unique stamping code, which indicates the steel thickness and profile.

FRAME HEIGHT	APEX SECTION	FRAME DEPTH
914mm	90-15	610 / 838 / 1219mm
1829mm	90-15	610 / 838 / 1219mm
2438mm	90-15	610 / 838 / 1219mm
3048mm	90-15	610 / 838 / 1219mm
3658mm	90-15	610 / 838 / 1219mm
4267mm	90-15 / 90/20	610 / 838 / 1219mm
4877mm	90-15 / 90/20	610 / 838 / 1219mm
6096mm	90-15 / 90/20 / 90-25	610 / 838 / 1219mm
7315mm	90/20 / 90-25	610 / 838 / 1219mm






### **Pallet Racking Accessories**




### **Pallet Racking Accessories**
























### **CANTILEVER RACKING**

Cantilever racking is primarily used for storing long, awkward and oversized goods. This type of racking system provides maximum storage capability with easy accessibility. It is available in both single-sided and double-sided configurations. There are two surface coating options: powder coated for indoor applications and hot dipped galvanised for outdoor applications. Global cantilever systems are designed in accordance with FEM 10.2.09 The design of cantilever racking.

### Typical storage applications include:

- Plywood/chipboard
- Timber
- Sheet metal
- Tubing
- Aluminium extrusion
- Furniture
- Structural members
  ...and much more











### **C200 Cantilever Racking**

Also known as light duty cantilever racking, this racking is designed for lighter storage requirements. The arm ratings typically vary from 250kg/arm to 450kg/arm, depending on the arm length and configuration of the cantilever system.

	POWDER COATED	GALVANISED
Post Height	2000mm 2400mm 3000mm 3600mm 4200mm	2000mm 2400mm 3000mm 3600mm
Arm Length	700mm 900mm 1200mm	700mm 900mm
Bracing / Spacing	900mm 1200mm 1500mm 1800mm	900mm 1200mm 1500mm 1800mm





### **Heavy Duty Cantilever Racking**

This cantilever system utilises posts section sizes of either a C305, C350 and C410mm sections, and are a common storage solution for storing a variety of building & construction materials. Typically, the arms are rated to a capacity of 1000kg UDL, but this may vary depending on arm length and racking configuration. By offering a C305, C350 and C410 section sizes, we can cater for lower or higher loads in a single column, and so a safe cantilever system can be designed according to your needs and budget.

	POWDER COATED	GALVANISED
Post Height	3048mm 3658mm 4267mm 4877mm 6096mm	3048mm 3658mm 4267mm 4877mm 6096mm
Arm Length	900mm 1200mm 1500mm	900mm 1200mm
Bracing / Spacing	900mm 1200mm 1500mm 1800mm 2100mm	900mm 1200mm 1500mm 1800mm





### **LONGSPAN SHELVING**

Longspan shelving provides an inexpensive storage solution ideal for a range of applications such as box or archive storage, storerooms, parts storage, workshops and workbenches. Available in a variety of shelf types, chipboard and mesh deck is commonly used for general purpose applications and the steel galvanised deck is generally used for grocery applications, so spillages can be easily wiped clean.



BEAM LENGTH	900mm	1200mm	1500mm	1800mm	2100mm	2400mm
EXTERNAL BAY LENGTH	1020mm	1320mm	1620mm	1920mm	2220mm	2520mm
LOADING PER LEVEL	890kg	660kg	530kg	450kg	385kg	300kg
FRAME HEIGHTS	900 / 1000 / 2000 / 2400 / 3000mm					
BAY DEPTHS	460 / 600 / 900 / 1200mm					









### **GONDOLA SHELVING**

Gondola shelving is widely used in retail settings such as grocery stores, supermarkets, chemists, hardware and discount stores. We have a multitude of hardware accessories to enhance your shelving, and it is available in single and double-sided configurations.



BAY HEIGHT	1500mm	1800mm	2100mm	2400mm (using 300mm extension)		
BAY WIDTHS		900	mm			
RAISED SHELF DEPTHS		350 / 400 / 450mm				
BASE SHELF DEPTH	450mm					
CONFIGURATIONS	Single-sided / double sided / internal corner					
COLOUR	White / black (black -Melbourne only)					















### **Galvanised rivet shelving**

Galvanised rivet shelving is used for a variety of applications including box or archive storage, storerooms, parts storage and workshops. Its electro galvanised surface treatment makes it ideal for cool room shelving. Available in a variety of shelf types, the chipboard is commonly used for general purpose applications and the steel galvanised deck and mesh deck is generally used for grocery applications or cool rooms.

BAY LENGTHS	910mm	1210mm	1510mm	1810mm	2110mm	2410mm
UDL LOADING	270kg	250kg	220kg	200kg	180kg	150kg
POST HEIGHTS	1334 / 1829 / 2134 / 2438mm					
BAY DEPTHS	430 / 570mm					









### Rolled upright type R.U.T

Rolled upright type (RUT) shelving is a simple, steel shelving system with modular bays which can have adjustable shelves. Each shelf will hold up to 80kg UDL (depending on the shelf size) and you can have as many adjustable shelves as you require, to a maximum bay loading of 800kg.

BAY HEIGHT		2175mm		
BAY DEPTHS	300mm	400mm	600mm	
BAY WIDTH	900 / 1200mm* (Melbourne only)			









### **Global rack workbenches**

### 2-Tier global rack workbench

STANDARD BENCH LENGTH	1372 / 2591 / 2743mm
BENCH EXTERNAL LENGTH	1552 / 2770 / 2920mm
OTHER BENCH LENGTHS	Available in a wide range of lengths - See page 7.
BENCH HEIGHT	920mm
DEPTH	609 / 838mm

### 4-Tier global rack workbench

STANDARD BENCH LENGTH	1372 / 2591 / 2743mm
BENCH EXTERNAL LENGTH	1552 / 2770 / 2920mm
OTHER BENCH LENGTHS	Available in a wide range of lengths – See page 7.
BENCH HEIGHT	920mm
OVERALL HEIGHT	1825mm
DEPTH	838mm deep with 415 top shelves

### Longspan workbenches

### 2-Tier longspan workbench

BENCH LENGTH	900mm	1200mm	1500mm	1800mm	2100mm	2400mm
BENCH EXTERNAL LENGTH	1020mm	1320mm	1620mm	1920mm	2220mm	2520mm
BENCH HEIGHT	900mm					
DEPTH	460 / 600 / 900mm					





### 4-Tier longspan workbench

BENCH LENGTH	900mm	1200mm	1500mm	1800mm	2100mm	2400mm
BENCH EXTERNAL LENGTH	1020mm 1320mm 1620mm 1920mm 2220mm 2520mm					
BENCH HEIGHT	900mm					
OVERALL HEIGHT	2000mm					
DEPTH	900mm deep with 460mm top shelves					















Mezzanine





### **MEZZANINE FLOORS**

Mezzanine floors, otherwise known as raised storage areas, are a cost-effective method of doubling your existing floor space. These can be constructed from our modular structural system or Global Rack pallet racking. All our mezzanine floors are designed to Australian standards and are fully customisable.

## What we need to know to be able to design your Global mezzanine floor:

- Length, depth and height
- Free-standing or attached to an existing structure
- Position of access gates, hand rails and stairs
- Floor loading requirements
- Other special requirements


















### **CLAMP STYLE HAND RAIL**

Clamp style hand rail is durable, and uses a galvanised clamp system that allows for the construction of any hand rail or barrier system. This versatile system can be used for a variety of other applications such trolley bays, animal enclosures and playgrounds without the need for welding or fabricating custom structures.








### PRODUCT CATALOGUE



### **Bollards**

MODEL	HR100	HR105	HR110	HR115
HEIGHT	1000mm		1200	)mm
DIAMETER	120mm		160mm	
WALL THICKNESS	3.5mm		5.25	imm
FINISH	powder coat HDG		powder coat	HDG
BASE SIZE	210×210	×10mm	250×250	0×10mm





### Steel mesh

MESH APERTURE	50 × 50mm
WIRE THICKNESS	3mm
SHEET SIZE	2200 × 2800mm
FINISH	Electo-galvanised

# Office Storage





### **Cabinets**

MODEL	SOC046	SOC048	
ТҮРЕ	2 door cabinet	Mesh door cabinet	
BAY LENGTH	900W x 450D x 1850mmH		
NUMBER OF SHELVES	4 adjustable 5 adjustable		
FINISH	powder coated grey powder coated grey and yellow		
CAPACITY	50kg UDL per shelf		
FLAT PACK	flat packed – additional charge for assembly		
LOCK	Lock inbuilt into door and supplied with unique key		















MODEL	SOC010	SOC011	SOC012
NUMBER OF DOORS	1	2	4
DOOR DIMENSIONS	1675 × 325mm	815 × 325mm	390 × 325mm
SHELF	Yes	N	lo
HANGING ROD	Yo	es	No
EXTERNAL DIMENSIONS	1800H x 450D x 380W		



# Parts Storage



### Stackable parts bins

COLOUR	Blue		
SIZE / MODEL	212W x 370D x 175mmH 420W x 370D x 175mmH 200W x 450D x 175mmH 300W x 450D x 175mmH	SO0308N SO0310N SO0360 SO0370	
LABEL PROTECTOR	Included		
SIDE LOCKING	Bins lock together via side bin channels		
DIVIDERS	Available only for SO0308N & SO0310N and are sold separately		
HANGABLE	These bins can be hung on a standard louvered panel		
STACKABLE	Can be stacked with and without stacking pins		









0308N S

SO03

SO0370





COLOUR	Blue	
SIZE / MODEL	117W x 400D x 90mmH 234W x 400D x 90mmH 234W x 400D x 140mmH 117W x 600D x 90mmH 234W x 600D x 90mmH 234W x 600D x 140mmH	SO04109 SO04209 SO04214 SO06109 SO06209 SO06214
LABEL PROTECTOR	Included	
DIVIDERS	Sold separately SOOD109 (for 117W x 90H) SOOD209 (for 243W x 90H) SOOD214 (for 243W x 140H)	







### PRODUCT CATALOGUE



### Parts bins for louvred panels

COLOUR	SIZE	MODEL
Grey	105W x 110D x 52mmH	SO0201
Yellow	105W x 140D x 75mmH	SO0202
Green	105W x 190D x 75mmH	SO0203
Blue	140W x 220D x 125mmH	SO0204
Red	140W x 270D x 125mmH	SO0205







### Mobile parts trolley

The mobile parts trolley, otherwise known as a feeder trolley, is a double-sided parts bin storage unit set on lockable castors. It is ideal for storing and organising small parts such as nuts, bolts, fittings and other hardware. It is commonly sold as a unit with 116 bins of various sizes and colours: 16 grey, 32 yellow, 32 green, 12 blue and 24 red (as pictured).

DIMENSIONS	1585H x 970W x 600mmD
HANDLES	One on each side of trolley
FIXED CASTORS	2
SWIVEL CASTORS WITH LOCK	2
QTY OF BINS (SEE PARTS BINS SECTION)	Various – Personal Preference







### **Louvred Panels**

	ROLLED TYPE LOUVRE PANEL (SO0110)		
WIDTH	900mm		
HEIGHT	450mm		
ACCESSORIES AVAILABLE	- Hooks available see instore - 900 × 200mm Shelf (SO0130) - Parts Bins See parts bins section		

	SQUARE PUNCH PANEL (SO0120)		
WIDTH	900mm		
HEIGHT	450mm		
ACCESSORIES AVAILABLE	- U-Hook (SO0125) - 50mm Hook (SO0126) - 100mm Hook (SO0127) - 900 × 200mm Shelf (SO0130)		

	FLAT-TYPE LOUVRED PANEL		
WIDTH	455mm		
HEIGHT	- 455mm (SO0111) - 610mm (SO0112) - 914mm (SO0114) - 1828mm (SO0115)		
ACCESSORIES AVAILABLE	Hooks available - see instore		



# Materials Handling



### Stackable stillages

MODEL	MH0100		
EXTERNAL DIMENSION	1200H x 1430W x 1060mmD		
INTERNAL DIMENSION	1010H x 1320W x 950mmD		
LOAD CAPACITY	1000kg		
FINISH	Hot-dipped galvanised		
COLLAPSIBLE	The 4 posts are removable		
SAFE STACKING HEIGHT	4		





### Stillage mesh cages





MODEL	MH0125		
DIMENSION	1150D x 1150D x 1120mmH		
COLLAPSED HEIGHT	355mm		
LOADING CAPACITY	1000kg		
CONSTRUCTION	Heavy duty base and structure with framed mesh panels for all sides		
RACKABLE	Can be put into standard 840/838mmD racking		







### Galvanised mesh cage

MODEL	MH0121		
DIMENSION	1150W x 1150D x 890mmH		
FOLDED HEIGHT	333mm		
LOAD CAPACITY	1000kg		
COLLAPSIBLE	All sides can be collapsed for easy storage		
SAFE STACKING HEIGHT	3		
CONSTRUCTION	100 × 50 – 6mm mesh		
RACKABLE	Can be put into standard 838/840mmD racking		





### Galvanised pallet wire cage

MODEL	MH0115	MH0116	
DIMENSION	1170L x 1170D x 800mmH 1170L x 1170D x 400mml		
COLLAPSIBLE	All sides can be collapsed for easy storage		
CONSTRUCTION	100 × 50 – 6mm mesh		
PALLET ATTACHMENT	6 lugs to encase a standard pallet		















### **Castor wheels**

MODEL	MH0050	MH0051	MH0052	MH0053	MH0054	MH0056
WHEEL LOAD RATING	100kg		300kg			
MOUNTING TYPE	M12 single thread bolt M8 four bolt		ur bolt	M10 four bolt		
SWIVEL OR FIXED	Swivel		Fixed	Swivel		Fixed
WHEEL LOCK	Yes		No		Yes	No
WHEEL MATERIAL	Polyurethane			Cast iron with polyurethane for the outer tread		
WHEEL COLOUR	Blue			Red		
DIAMETER OF WHEEL	100mm			125mm		
WIDTH OF WHEEL	30mm				50mm	
FRAME FINISH	zinc plated					



### Pallet jacks

PALLET TYPE	Standard	Narrow	
FORK DISTANCE INSIDE/ OUTSIDE	365/685mm 230/550mm		
LIFTING CAPACITY	2500kg		
LIFTING HEIGHT	200mm to top of tine		
OPERATION	Raise/neutral/lower lever		













### **Gravity rollers**

CONVEYER LENGTH	1500 & 3000mmL	
ROLLER SIZE	400 & 600mm	
РІТСН	75 - 300mm	
WEIGHT LOADING FOR 3000MML SIDE STRUCTURE	When 2 support legs are used - 400kg UDL When 3 support legs are used - 1000kg UDL	
WEIGHT LOADING FOR ROLLERS	50kg UDL per 400mmL roller 40kg UDL per 600mmL roller	
BEARINGS	Steel	
ROLLER	Steel Galvanised Rollers	
FRAME	Blue powder coated	
ADJUSTABLE STANDS	850 to 1000mm	



**Tool boxes** 



### **TOOL BOXES**

We have a large range of ute tool boxes to suit any application. No matter what ute model or type you have, we will have a box for you. Our boxes are made with quality and durability in mind, incorporating durable drawer slides, stainless steel t-handles and rubber seals that are resistant to dust and weather. These boxes are the tradesperson's preferred choice.

Our range includes tool boxes for both under and above the tray, allowing the serious tradie to use space effectively. Our range also includes jobsite boxes, drawbar boxes and small generator boxes.











### **Under tray tool boxes**

MODEL	TB0030 / TB0040	TB0042 / TB0043	TBAO130 / TBAO135	
MOUNTING SIDE	Left / Right			
COLOUR	Black White Aluminium smooth mill			
DIMENSIONS	660L/510L x 260D x 405mmH			
DOOR OPENING	Door opens away from wheel, complete with rubber seals			
WEIGHT	15kg 9kg			
CONSTRUCTION	1.5mm	2mm aluminium		







### **Tapered under tray tool boxes**

MODEL	TB0050 / TB0052	TB0055 / TB0057	TBA0110 / TBA0112	
MOUNTING SIDE		Left / Right		
COLOUR	Black	Aluminium smooth mill plate		
DIMENSIONS	750L x 260D x 405/260mmH			
DOOR OPENING	Drop down door (hinged form bottom of box), complete with rubber seals			
WEIGHT	15	9kg		
CONSTRUCTION	1.5mm	2mm aluminium		







### **Under tray drawer**

MODEL	TBP0093 TBP0094		
DIMENSIONS	750/800W x 1500D x 175mmH		
WEIGHT	78kg	85kg	
DRAWER CAPACITY	50kg UDL	40kg UDL	
LOCKING POINTS	One stainless steel T-handle		
CONSTRUCTION	Aluminium front plate (800mm wide) & Ga	Ivanised steel body (750mm wide)	





### **Gullwing tool boxes**

MODEL	TBG0010	
COLOUR	White	
DIMENSIONS	1730L x 500D x 430mmH	
WEIGHT	49kg	
LOCKING POINTS	Two stainless steel T-handle (one on each door)	
DOOR STYLE	Two gullwing type lids	
CONSTRUCTION	1.5mm powder coated steel	





### 705 series – steel half open tool boxes

MODEL	TBP0161W	TBP0162W	TBP0163W
COLOUR		White	
DIMENSIONS	900L x 500D x 705mmH	1220L x 500D x 705mmH	1450L x 500D x 705mmH
WEIGHT	45kg	54kg	63kg
LOCKING POINTS	One stainless steel t-Handle Two stainless steel t-Handles		
DOOR STYLE	Half open		
INTERNAL	1 x internal removable shelf		
CONSTRUCTION	1.5mm powder coated steel		





### 705 series – steel full open tool boxes

MODEL	TBP0176W	TBP0177W	TBP0178W
COLOUR	White		
DIMENSIONS	900L x 500D x 705mmH	1220L x 500D x 705mmH	1450L x 500D x 705mmH
WEIGHT	49kg	59kg	69kg
LOCKING POINTS	One stainless steel t-Handle Two stainless steel t-Handles		
DOOR STYLE	Full open		
INTERNAL	2 X internal removable shelves		
CONSTRUCTION	1.5mm powder coated steel		









### 705 series - steel mine boxes

MODEL	TBP0180	TBP0182		
COLOUR	WI	White		
DIMENSIONS	1220L x 500D x 705mmH	1450L x 500D x 705mmH		
WEIGHT	79kg	94kg		
DRAWERS	Four internal half drawers			
DRAWER CAPACITY	20kgs UDL			
SHELVES	Internal shelf the full width of the box, but separated in the centre			
LOCKING POINTS	Two stainless steel t-Handles on the front door and spring-loaded latches for the internal drawers			
DOOR STYLE	Full open			





### 850 series - steel half open tool box

MODEL	TBP0275	TBP0280	TBP0285	TBP0290
COLOUR	White			
DIMENSIONS	1000L x 616D x 850mmH	1280L x 616D x 850mmH	1565L x 616D x 850mmH	1850L x 616D x 850mmH
WEIGHT	60kg	73kg	83kg	95kg
LOCKING POINTS	One stainless steel T-handle Two stainless steel T-handle per door			
DOOR STYLE	Half open			
INTERNAL	1x Internal removable shelf			
CONSTRUCTION	1.5mm power coated steel			
FORK ENTRY BARS	Three 50 × 50mm bars with anchor points			







### 850 series – steel mine boxes

MODEL	TBP0186	TBP0188	TBP0190	TBP0192
MODEL	101 0100	101 0100		1010132
COLOUR		Wh	nite	
DIMENSIONS	1000L x 616D x 850mmH	1280L x 616D x 850mmH	1565L x 616D x 850mmH	1850L x 616D x 850mmH
WEIGHT	99kg	103kg	115kg	147kg
DRAWERS	Four internal half drawers			
DRAWER CAPACITY	20kgs UDL			
SHELVES	Internal shelf the full width of the box, but separated in the centre			
LOCKING POINTS	One stainless steel t-Handle on the front door and spring-loaded latches for the internal drawers  Two stainless steel t-Handles on the front door and spring-loaded latches for the internal drawers			
DOOR STYLE	Full open			
CONSTRUCTION	1.5mm powder coated steel			
FORK ENTRY BARS		Three 50×50mm bar	rs with anchor points	







### 850 Series - SBS (Side by Side) 4 Drawer

MODEL	TBP0250	TBP0255	TBP0260	TBP0265
COLOUR		White		
DIMENSIONS	1000L x 616D x 850mmH	1280L x 616D x 850mmH	1565L x 616D x 850mmH	1850L x 616D x 850mmH
WEIGHT	95kg	113kg	129kg	142kg
DRAWERS		Four internal	half drawers	
DRAWER CAPACITY	20kgs			
LOCKING POINTS	One stainless steel T-handle for the 1000mmL box  Two stainless steel T-handles for the 1280, 1565, and 1850mm box			
ADJUSTABLE SHELF	YES			
DOOR STYLE	Full open			
CONSTRUCTION		1.5mm Powde	er coated steel	
FORK ENTRY BARS		Three 50×50mm bar	rs with anchor points	





### 850 series - steel full open tool boxes

MODEL	TBP0200	TBP0205	TBP0210	TBP0215
COLOUR	White			
DIMENSIONS	1000L x 616D x 850mmH	1280L x 616D x 850mmH	1565L x 616D x 850mmH	1850L x 616D x 850mmH
WEIGHT	63kg	77kg	90kg	103kg
LOCKING POINTS	One stainless steel T-handle for the 1000mmL box  Two stainless steel T-handles for the 1280, 1565, and 1850mm box			
DOOR STYLE	Full open			
CONSTRUCTION	1.5mm Powder coated steel			
FORK ENTRY BARS	Three 50×50mm bars with anchor points			





### 950 series - 8 drawer steel mine boxes

MODEL	TBN0680	TBN0690		
COLOUR	Wh	White		
DIMENSIONS	1280L x 616D x 950mmH	1565Lx 616D x 950mmH		
WEIGHT	152kg	175kg		
DRAWERS	Eight interna	Eight internal half drawers		
DRAWER CAPACITY	201	20kgs		
LOCKING POINTS	One stainless steel T-handle for the 1000mmL box	Two stainless steel T-handles for the 1280, 1565, and 1850mm box		
DOOR STYLE	Full	Full open		
CONSTRUCTION	1.5mm Powde	1.5mm Powder coated steel		
FORK ENTRY BARS	Three 50×50mm bar	s with anchor points		







### 950 series – steel mine boxes

MODEL	TBN0610	TBN0620	TBN0630	
COLOUR		White		
DIMENSIONS	1280L x 616D x 950mmH	1565L x 616D x 950mmH	1850L x 616D x 950mmH	
WEIGHT	115kg	132kg	162kg	
DRAWERS		Four internal half drawers		
DRAWER CAPACITY		20kgs UDL		
SHELVES	Internal shelf the full width of the box, but separated in the centre			
LOCKING POINTS	Two stainless steel t-Handles on the front door and spring-loaded latches for the internal drawers			
DOOR STYLE		Full open		
CONSTRUCTION		1.5mm powder coated steel		
FORK ENTRY BARS		Three 50×50mm bars with anchor points		







### 950 series – steel four drawer tool boxes

MODEL	TBN0420 TBN0450			
COLOUR	Wh	White		
DIMENSIONS	1565L x 616D x 950H	1850L x 616D x 950H		
WEIGHT	161kg	176kg		
DRAWERS	Four fully sealed half-length dr	rawers with heavy duty sliders		
DRAWER CAPACITY	40kgs UDL			
LOCKING POINTS	Two stainless steel t-Handles on the front door and heavy duty drop pins for the drawers			
DOOR STYLE	Half open			
INTERNAL	One internal removable shelf			
CONSTRUCTION	1.5mm powde	r coated steel		
FORK ENTRY BARS	Three 50×50mm bar	s with anchor points		



### PRODUCT CATALOGUE





### 950 series – steel full open tool boxes

MODEL	TBN0145	TBN0155	TBN0165	TBN0175
COLOUR	White			
DIMENSIONS	1000L x 616D x 950mmH	1280L x 616D x 950mmH	1565L x 616D x 950mmH	1850L x 616D x 950mmH
WEIGHT	69kg	79kg	88kg	100kg
LOCKING POINTS	One stainless steel t-Handle	ndle Two stainless steel t-Handles		
DOOR STYLE	Full open			
INTERNAL	One internal removable shelf			
CONSTRUCTION	1.5mm powder coated steel			
FORK ENTRY BARS	Three 50×50mm bars with anchor points			





### 950 series - truck boxes

MODEL	TBP0100	TBP0105	
COLOUR	White		
DIMENSIONS	1280L x 616D x 950mmH	1565L x 616D x 950mmH	
WEIGHT	97kg	112kg	
LOCKING POINTS	Two stainless steel t-Handles		
DOOR STYLE	Full open		
INTERNAL	Vertically partitioned in the middle with two half-length shelves that can be adjusted in height		
CONSTRUCTION	1.5mm powder coated steel		
FORK ENTRY BARS	Three 50×50mm bars with anchor points		



### 850 series – cross tray boxes

MODEL	TBC0010	TBC0016	TBC0015	TBC0017	TBC0020	TBC0025
COLOUR	White	Black	White	Black	White	Black
DIMENSIONS	1770L x 700D x 850mmH		1770L x 1200D x 850mmH		1770L x 1500D x 850mmH	1770L x 1800D x 850mmH
WEIGHT	106kg		146	kg	183kg	205kg
LOCKING POINTS	One stainless steel T-handle per door			Two stainless steel T-handle per door		
DOOR STYLE	Full open					
INTERNAL	Full open space internally					
CONSTRUCTION	1.5mm powder coated steel					
FORK ENTRY BARS	Three 50×50mm bar	s with anchor points				



### Truck underbody tool boxes

MODEL	TBP0157	TBP0158	TBP0097
COLOUR	Black		
DIMENSIONS	1000L x 500D x 500mmH	1000L x 500D x 500mmH	600L x 450D x 450mmH
WEIGHT	28kg		20kg
LOCKING POINTS	Two stainless steel t-handles		One stainless steel t-handle
DOOR STYLE	One fully opening front door	Two fully opening front doors	One fully opening front door
DOOR LANCE	Stainless steel lance to support door when fully open		
INTERNAL	Fully open internal space	Each side is separated with a vertical divider and comes with one internal shelf Fully open internal space	
CONSTRUCTION	1.5mm powder coated steel		





### Steel job site tool boxes

MODEL	TB0095	TB0099	
COLOUR	Yellow	Grey	
SIZE (INCHES)	48"		
DIMENSIONS	1220L x 622D x 711mmH		
WEIGHT	63kg		
LOCKING POINTS	Two locking points (padlock not included)		
DOOR STYLE	One fully opening door		
CONSTRUCTION	1.5mm steel		

# **Notes**



