## CLEARFIELD® BARLEY GUIDE



WESTERN AUSTRALIA
JUNE 2023

# MAXIMUS (PBR CL

MALT BARLEY

The Spartacus CL®

malt successor!





# COMMODUS

POTENTIAL MALT BARLEY

A Clearfield®, Compass®

A Clearfield®, Compass barley descendant with yield and good early vigour



POTENTIAL MALT BARLEY

A mid-maturing, vigorous, Clearfield warrior!






#### Clearfield barley - at a glance

Clearfield barley - at a glance			
Variety	Commodus <sup>⊕</sup> CL	Maximus <sup>⊕</sup> CL	Zena <sup>⊕</sup> CL
Rainfall environment	Low-medium rainfall environment	Low-medium rainfall environment	Medium-high rainfall environment
Soil type	Predominantly sandy/ lighter soil Commodus® CL  clay  Clay		
Plant type	Early, intermediate growth habit	Erect plant type	Semi-prostrate plant type
Malt status	Currently classified as a <b>feed</b> variety with earliest potential malt accreditation in 2024.	Malt accredited	Currently classified as a <b>feed</b> variety with earliest potential malt accreditation in 2024.
Lodging and head loss	Medium-high lodging and head loss risk, similar to <b>Compass</b> ®	Strong lodging tolerance and low-medium head loss risk.	Strong lodging tolerance and low-medium head loss risk.
Plant height	Tall plant type	Shorter plant type (lower biomass production)	Medium plant type

# MEET INTERGRAIN'S CLEARFIELD® GLADIATOR TROOPS!



Maximus® CL is a high yielding, quick-mid maturing, malt accredited Clearfield® barley. It is well suited to low-medium rainfall environments and offers a yield improvement compared to Spartacus® CL\*. Maximus® CL has an erect plant type, strong lodging tolerance and a low-medium head loss risk. Maximus® CL offers a general disease improvement compared to Spartacus® CL, particularly to both spot form and net form of net blotch. The variety has very good physical grain qualities, including excellent grain plumpness (plumper than Spartacus® CL) and hectolitre weight. The variety has a short coleoptile, so consider sowing depth when planting Maximus® CL.



Commodus® CL is a high yielding, quick-mid maturing Clearfield® barley, agronomically similar to Compass®. It is ideally suited to lighter soils and low-medium rainfall environments. The variety has a comparable yield potential to Compass® based on InterGrain and NVT trial yield data. It offers an effective disease resistance profile, including a useful level of spot form of net blotch resistance.

Commodus® CL has excellent grain size and adequate test weight.

Commodus® CL has a medium-high lodging and head loss risk, similar to Compass® and harvest management strategies should be considered in higher yielding seasons and/or when harvest delays occur to maxamise varietal productivity. Commodus® CL is an excellent option for those looking for a similar variety to Compass with the benefit of the Clearfield® trait.

Commodus<sup>®</sup> CL has been accepted into the Grains Australia Malt Accreditation program with earliest potential malt accreditation ir March 2024.



Zena® CL is a mid-maturing, high yielding Clearfield® barley, well suited to medium-high rainfall environments. It is agronomically similar to RGT Planet®. Zena® CL provides a useful disease resistance profile with good levels of resistance to powdery mildew and leaf rust. However, Zena® CL has a similar level of susceptibility to spot form net blotch and net form net blotch to RGT Planet®. The variety has an adequate grain size and a moderate hectolitre weight.

Zena<sup>®</sup> CL has been accepted into the Grains Australia Malt Accreditation program with earliest potential malt accreditation in March 2024.

#### **PLANT FEATURES** SPARTACUS CL<sup>®</sup> <sup>⊕</sup>SOMMODUS RGT PLANET<sup>⊕</sup> ⊕ C COMPASS SCOPE Classification Malt Malt Malt Malt Quick-Mid Maturity Ouick Ouick-Mid Ouick-Mid Mid Mid Coleoptile Short Medium Short Length Plant Height Short Tall Very Tall Medium Lodging Strona Poor Poor Medium Tolerance **Head Loss** Medium High Low Low Risk Grain Good/ Mod. Good Fair Fair **Plumpness** Excellent Rachilla Short Long Short Long


Source: 2023 WA Sowing Guide and InterGrain Barley Breeding. Maturity based on mid-May planting.

#### **DISEASE RATINGS** SPARTACUS CL<sup>®</sup> MAXIMUS<sup>⊕</sup> CL RGT PLANET $\mathsf{SCOPE}\,\mathsf{CL}^\Phi$ COMPASS S S Leaf rust MSS MSS MSS MRMS-MR MRMS-MS **Powdery Mildew** MR MSS R-MRMS R-MRMS MR Spot Form Net Blotch MSS SVS MSS MSS MSS SVS SVS **Net Form** MR-S MRMS-S MRMS-S MR-S MR-MSS MRMS-SVS MRMS-SVS **Net Blotch CCN** resistance S **Barley yellow** MRMS MRMS MSS MS MRMS MRMS-MS MRMS-MS **Dwarf Virus** RMR MR RMR Scald MS MS MS

Hair Length

Source: 2022 WA NVT Pathology consensus disease ratings, p = Provisional ratings. - = show a range of reaction responses R = Resistant, RMR = Resistant to Moderately Resistant, MR = Moderately Resistant, MRMS = Moderately Resistant to Moderately Susceptible, MS = Moderately Susceptible, MSS = Moderately Susceptible to Susceptible, S = Susceptible, SVS = Susceptible to Very Susceptible, VS = Very Susceptible

#### YIELD PERFORMANCE MAXIMUS® CL




Yield Environment t/ha (trial number)

2018-22 WA main season predicted NVT MET yield performance, represented by yield environment as a % of site mean yield

(Data accessed from NVT Online on 15/03/2023.)



#### YIELD PERFORMANCE COMMODUS<sup>()</sup> CL



Yield Environment t/ha (trial number)

2018-22 WA main season predicted NVT MET yield performance, represented by yield environment as a % of site mean yield

(Data accessed from NVT Online on 15/03/2023.)






COMPASS<sup>()</sup> SCOPE CL<sup>()</sup>



### YIELD PERFORMANCE ZENA() CL



2018-22 WA main season predicted NVT MET yield performance, represented by yield environment as a % of site mean yield

(Data accessed from NVT Online on 15/03/2023.)






#### Commodus<sup>®</sup> CL (L) Maximus<sup>®</sup> CL (R), Bolgart, WA, 8 July 2021


## **GRAIN QUALITY**

#### **SCREENINGS**




(73 trials, Data accessed from NVT online on 20/03/2023)

#### **TEST WEIGHT**



2022 National NVT Test Weight (kg/hl) (78 trials, Data accessed from NVT online on 20/03/2023)

#### **RETENTION**



(78 trials, Data accessed from NVT online on 20/03/2023)

MAXIMUS<sup>©</sup>CL SPARTACUS CL<sup>©</sup> COMMODUS<sup>©</sup>CL COMPASS<sup>©</sup> ZENA<sup>©</sup>CL RGT PLANET<sup>©</sup>

#### INTERGRAIN CONTACTS

WA - SOUTH Georgia Trainor © 0439 093 166 @ gtrainor@intergrain.com

WA - NORTH Rachel Asquith 🕲 0483 311 901

@ rasquith@intergrain.com

### PBR/EPR

COMMODUS® CL, MAXIMUS® CL and ZENA® CL are protected by Plant Breeder's Rights and subject to a \$4.25/tonne (ex GST) end point royalty.

COMMODUS<sup>®</sup> CL, MAXIMUS<sup>®</sup> CL and ZENA<sup>®</sup> CL are InterGrain varieties containing an IMI barley technology licence from Agriculture Victoria Services (AVS). COMMODUS<sup>®</sup> CL and ZENA<sup>®</sup> CL were collaboratively developed with Grains Innovation Australia (GIA).

#### **GROUP 2 IMIDAZOLINONE HERBICIDE INFORMATION**

InterGrain only supports use of Australian Pesticides and Veterinary Medicines Authority (APVMA) approved imidazolinone (IMI) products for COMMODUS® CL, MAXIMUS® CL and ZENA® CL.

Growers using APVMA approved herbicides, must comply with all label recommendations and requirements for the specific herbicide used.

COMMODUS<sup>®</sup> CL, MAXIMUS<sup>®</sup> CL and ZENA<sup>®</sup> CL. possess the gene conferring tolerance to label application rates of registered IMI products. IMI herbicides are Group 2 (formally known as Group B) herbicides, ALS inhibitors. Registered IMI herbicides provide control of many major grass and broadleaf weeds present in broadacre cropping systems. These weeds include brome grass, barley grass, wild oats, indian hedge mustard, muskweed, oats, wheat and barley (non-Clearfield®), wild radish, wild turnip and suppression of annual ryegrass. IMI herbicides are not effective in controlling Group 2 resistant weed species (particularly wild radish and annual ryegrass).

For registered product labels, plant back and application details please refer to the following:

Pre-Emergent Herbicide:

Sentry® - https://bit.ly/302wiic

Post-Emergent Herbicide Options:

Intervix® -https://bit.ly/2HCCQlp

Intercept® -https://bit.ly/2VLyVpj

InterGrain strongly supports sustainable Clearfield® and IMI barley production systems and we recommend reviewing the stewardship guidelines suggested within the below guides to ensure longevity of APVMA approved IMI herbicides:

Nufarm IMIcrops: https://bit.ly/3xXmhT8

BASF Clearfield Stewardship: https://bit.ly/3yZohvw





#### **Disclaimer**

The material contained in this publication is considered true and correct as at the date of this publication. The publication is a general guide only prepared solely for the purpose of providing general information in connection with InterGrain, its business and, if applicable the services and products provided by InterGrain. InterGrain does not warrant or guarantee the accuracy, completeness or currency of the publication material and information. InterGrain strongly recommends the publication reader independently research or obtain independent professional advice in connection with the use of the publication material and information for any business decision.

Neither InterGrain, its officers, directors, affiliates or employees, are liable for any cost, expense, damage, liability or loss suffered or incurred by a publication reader or any other party related in any way to the publication reader as a result of the use of publication material and information

Publication Date: June 2023 © Intergrain Pty Ltd 2023. All rights reserved.