

CATERGORY 5 ARFF



SCANIA P SERIES CREW CAB 6X6

4,500 LPM @10 BAR 8,100 L TANK CAPACITY



AX5 STRATOS

STANDARD SPECIFICATIONS



CHASSIS

SCANIA P SERIES, EURO 6

CAB TYPE/CREW CAPACITY

SINGLE OR CREW CAB,5 SEATS

DRIVE CONFIGURATION

6X6

GVM

33,000 KG

PUMP

WATEROUS CXVT1250

PUMP OUTPUT

4,500LPM @ 10 BAR

WATER TANK CAPACITY

8,100 L

FOAM

A CLASS 200 L B CLASS 1,000 L

FOAM SYSTEM

A: FRC TURBOFOAM DIRECT INJECTION B: FRC AUTOFOAM AROUND THE PUMP

HOSE REELS

2 X HANNAY ELECTRIC REWIND HOSE REEL C/W 60M X 25MM STABILO HOSE

MONITOR

AKRON TRIDENT ROOF MONITOR TFT BUMPER MONITOR

STRUCTURE

FRX-CORE™

DOORS

ROLLER SHUTTERS

SHELVING

MODULOCK™ FULLY ADJUSTABLE SYSTEM

LIGHTING

LED SCENE, LOCKER & UNDERBODY

CAMERA SYSTEMS

REVERSING CAMERA AND OPTIONAL 360° SURROUND CAMERA

CREW COMFORT

OEM CABIN AIR-CON INTERGRATED USB CHARGING OPTIONAL ONBOARD FRIDGE &HYGIENE STATION

ROLLEROVER PROTECTION

OPTIONAL ROPS/FOPS

RADIO SYSTEMS

ALL MODELS AVAILABLE

EWS

CODE 3 EMERGENCY WARNING, LIGHTING AND SIREN SYSTEM

BATTERY SYSTEM

DUAL BATTERY SYSTEM

OPTIONAL TELEMETRY

CANBUS INTERGRATION
GPS TRACKING
AUX SYSTEM MONITORING



WWW.FFRE.COM.AU SALES@FFRE.COM.AU