




STANDARD SPECIFICATIONS



CHASSIS

GMC 1500 SIERRA

CAB TYPE/CREW CAPACITY

EXTRA CAB, 2 SEATS

DRIVE CONFIGURATION

4X4

GVM

4,495 KG

PUMP

ELECTRIC GAAM MK125

PUMP OUTPUT

550 L/MIN @5 BAR

WATER TANK CAPACITY

850 L

FOAM

A CLASS - 20L

FOAM SYSTEM

FLO-MX™ ROUND THE PUMP

HOSE REELS

REAR MOUNT 19MM ELECTRIC

MONITOR

OPTIONAL HURICAN 1250 BUMPER MONITOR **STRUCTURE**

FRX-CORE

DOORS

CENTURION ROLLER SHUTTERS

SHELVING

ADJUSTABLE & CNC SHADOW BOARD SYSTEM

LIGHTING

LED SCENE, LOCKER & UNDERBODY

FINISH

POWDERCOATED & PAINTED BODY COMPONENETS, ELECTROPOLISHED STEEL PIPEWORK

LIVERY

CUSTOMISABLE AS REQUESTED

CAMERA SYSTEMS

OPTIONAL 360 MONITORING

CREW COMFORT

OEM CABIN AIR-CON INTERGRATED USB CHARGING OPTIONAL ONBOARD FRIDGE

CREW PROTECTION

WATER DELUGE SYSTEMS BURNOVER BLANKETS RADIANT HEAT SHIELDS IN-CAB AIR SELF RESCUER OPTIONAL GAS DETECTION OPTIONAL DMS **RADIO SYSTEMS**

ALL MODELS AVAILABLE

EWS

CODE 3

BATTERY SYSTEM

OPTIONAL 12V DUAL BATTERY STANDALONE 48V BATTERY SYSTEM FOR PUMP

OPTIONAL TELEMETRY

CANBUS INTERGRATION
GPS TRACKING
AUX SYSTEM MONITORING

