

REAR MOUNT PUMPER



SCANIA P SERIES

4X2

4,000 L/M @ 10 BAR

400 L/M @ 40 BAR

2,700L TANK CAPACITY



FRONTLINE
FIRE & RESCUE

CRAFTED FOR COURAGE

REAR MOUNT PUMPER

STANDARD SPECIFICATIONS



CHASSIS

SCANIA P SERIES, EURO 6

CAB TYPE/CREW CAPACITY

CREW CAB, 5 SEATS

DRIVE CONFIGURATION

4X2

GVM

18,000 KG

PUMP

WATEROUS HL400 DUAL STAGE

PUMP OUTPUT

4000LPM @ 10 BAR /
400LPM @ 40 BAR

WATER TANK CAPACITY

2,700L

FOAM

A CLASS 80L
B CLASS 200L

FOAM SYSTEM

A: FRC DIRECT INJECTION
B: FRC AROUND THE PUMP

HOSE REELS

1 X HANNAY ELECTRIC
REWIND HOSE REEL C/W 60
METRE X 25MM BOSTON
BOOSTER HOSE

MONITOR

OPTIONAL BUMPER OR
ROOF MONITOR

STRUCTURE

FRX-CORE™

DOORS

ROLLER SHUTTERS

SHELVING

MODULOCK™ FULLY
ADJUSTABLE SYSTEM

LIGHTING

LED SCENE, LOCKER &
UNDERBODY

FINISH

FULLY CUSTOMISABLE OPTIONS

LIVERY

COMPELTED TO CLIENT
REQUIREMENTS

ROLLOVER PROTECTION

OPTIONAL FOPS/ROPS

CAMERA SYSTEMS

REVERSING CAMERA
OPTIONAL 360 SURROUND

CREW COMFORT

OEM CABIN AIR-CON
INTERGRATED USB CHARGING
OPTIONAL ONBOARD FRIDGE
&HYGIENE STATION

CREW PROTECTION

WATER DELUGE SYSTEMS
BURNOVER BLANKETS
RADIANT HEAT SHIELDS
IN-CAB AIR SELF RESCUER
OPTIONAL GAS DETECTION
OPTIONAL DMS

RADIO SYSTEMS

ALL MODELS AVAILABLE

EWS

CODE 3 EMERGENCY WARNING,
LIGHTING AND SIREN SYSTEM

BATTERY SYSTEM

OPTIONAL DUAL BATTERY
SYSTEM AVAILLABLE

OPTIONAL TELEMETRY

CANBUS INTERGRATION
GPS TRACKING
AUX SYSTEM MONITORING



WWW.FFRE.COM.AU
SALES@FFRE.COM.AU