

URBAN TANKER



SCANIA P SERIES

4X4

1,900 L/M @ 10 BAR

3,600L TANK CAPACITY



FRONTLINE
FIRE & RESCUE

CRAFTED FOR COURAGE

URBAN TANKER

STANDARD SPECIFICATIONS



CHASSIS

SCANIA P SERIES, EURO 6

CAB TYPE/CREW CAPACITY

CREW CAB, 5 SEATS

DRIVE CONFIGURATION

4X4

GVM

18,000 KG

PUMP

WATEROUS CLVT SINGLE-STAGE COUPLED TO ISUZU 4JG1 ENGINE

PUMP OUTPUT

1,900 LPM @ 10 BAR

WATER TANK CAPACITY

3,600L

FOAM

A CLASS 80L

B CLASS 200L

FOAM SYSTEM

FLO-MX™ ROUND THE PUMP

HOSE REELS

25MM X 50M ELECTRIC

19MM X 30M ELECTRIC

MONITOR

OPTIONAL BUMPER OR ROOF MONITOR

STRUCTURE

FRX-CORE™

DOORS

ROLLER SHUTTERS

SHELVING

MODULOCK™ FULLY ADJUSTABLE SYSTEM

LIGHTING

LED SCENE, LOCKER & UNDERBODY

FINISH

FULLY CUSTOMISABLE OPTIONS

LIVERY

COMPELTED TO CLIENT REQUIREMENTS

ROLLOVER PROTECTION

OPTIONAL FOPS/ROPS

CAMERA SYSTEMS

REVERSING CAMERA

OPTIONAL 360 SURROUND

CREW COMFORT

OEM CABIN AIR-CON

INTERGRATED USB CHARGING

OPTIONAL ONBOARD FRIDGE

&HYGIENE STATION

CREW PROTECTION

WATER DELUGE SYSTEMS

BURNOVER BLANKETS

RADIANT HEAT SHIELDS

IN-CAB AIR SELF RESCUER

OPTIONAL GAS DETECTION

OPTIONAL DMS

RADIO SYSTEMS

ALL MODELS AVAILABLE

EWS

CODE 3 EMERGENCY WARNING, LIGHTING AND SIREN SYSTEM

BATTERY SYSTEM

OPTIONAL DUAL BATTERY SYSTEM AVAILLABLE

OPTIONAL TELEMETRY

CANBUS INTERGRATION
GPS TRACKING
AUX SYSTEM MONITORING



WWW.FFRE.COM.AU
SALES@FFRE.COM.AU