

URBAN TANKER



SCANIA P SERIES

4X4

1,900 L/M @ 10 BAR

3,600L TANK CAPACITY



FRONTLINE
FIRE & RESCUE

CRAFTED FOR COURAGE

URBAN TANKER

STANDARD SPECIFICATIONS



CHASSIS

SCANIA P SERIES, EURO 6

CAB TYPE/CREW CAPACITY

CREW CAB, 5 SEATS

DRIVE CONFIGURATION

4X4

GVM

18,000 KG

PUMP

WATEROUS CLVT SINGLE-STAGE COUPLED TO ISUZU 4JG1 ENGINE

PUMP OUTPUT

1,900 LPM @ 10 BAR

WATER TANK CAPACITY

3,600L

FOAM

A CLASS 80L
B CLASS 200L

FOAM SYSTEM

FLO-MX™ ROUND THE PUMP

HOSE REELS

25MM X 50M ELECTRIC
19MM X 30M ELECTRIC

MONITOR

OPTIONAL BUMPER OR
ROOF MONITOR

STRUCTURE

FRX-CORE™

DOORS

ROLLER SHUTTERS

SHELVING

MODULOCK™ FULLY
ADJUSTABLE SYSTEM

LIGHTING

LED SCENE, LOCKER &
UNDERBODY

FINISH

FULLY CUSTOMISABLE OPTIONS

LIVERY

COMPLETED TO CLIENT
REQUIREMENTS

ROLLOVER PROTECTION

OPTIONAL FOPS/ROPS

CAMERA SYSTEMS

REVERSING CAMERA
OPTIONAL 360 SURROUND

CREW COMFORT

OEM CABIN AIR-CON
INTERGRATED USB CHARGING
OPTIONAL ONBOARD FRIDGE
&HYGIENE STATION

CREW PROTECTION

WATER DELUGE SYSTEMS
BURNOVER BLANKETS
RADIANT HEAT SHIELDS
IN-CAB AIR SELF RESCUER
OPTIONAL GAS DETECTION
OPTIONAL DMS

RADIO SYSTEMS

ALL MODELS AVAILABLE

EWS

CODE 3 EMERGENCY WARNING,
LIGHTING AND SIREN SYSTEM

BATTERY SYSTEM

OPTIONAL DUAL BATTERY
SYSTEM AVAILLABLE

OPTIONAL TELEMETRY

CANBUS INTERGRATION
GPS TRACKING
AUX SYSTEM MONITORING



WWW.FFRE.COM.AU
SALES@FFRE.COM.AU