

Attachment 5: Extract from Transforming Australian Cities



*This built form and transport mode are no longer sustainable*

If Australia's major cities are to meet future demands for population growth without simply repeating past practices of taking over farmland on the urban fringe, a new paradigm needs to be found. This needs to involve containing future development and infrastructure within the current city boundaries to the greatest extent possible, while achieving greater efficiencies and affordability. This is the aspiration of most cities but achievement typically falls short.

Strategies to achieve livability and sustainability within the confines of existing city boundaries need to comprise the six key ingredients of existing successful cities, namely:

- > Mixed use
- > Density
- > Connectivity
- > High quality public realm
- > Local character
- > Adaptability

*'We have reached an interesting time when the drivers of sustainable cities are the same as the drivers of livable cities, namely, mixed use, connectivity, high quality public realm, local character and adaptability. When these characteristics come together as they do in Barcelona, they provide an alchemy of sustainability, social benefit and economic vitality. These cities reduce their need for car travel, reduce energy consumption and emissions, use local materials, support local businesses and create identifiable communities.'*

– Rob Adams, *The Age*, 2009



Of the elements listed above, the question of city density is arguably the most important. Compact cities with high densities are emerging as the most robust in the challenges posed by climate change. They are capable of operating on lower consumption and often produce more equitable social characteristics and access to essential services.

Cities such as Barcelona with 200 persons per hectare, and more recently Malmö Bo01 in Sweden, are examples worth reflecting on. Built in 2001, Bo01 is an exemplar of a low carbon footprint. The development's density of 120 persons per hectare equates to about eight times the typical Australian urban density. Bo01 is comprised of highly sustainable buildings of 2-5 storeys in height. As with Barcelona, this low rise high density dispels the myth that high density requires high rise.

It is arguable that no new building needs to be higher than 6-8 storeys to achieve high density compact cities for the future. This built form is not only more sustainable but reduces the need for excessive embedded and operating energy; for example: windows can be operable and used for passive ventilation and cooling; stairs become alternatives to lifts for the lower floors; and the reduced height helps ameliorate excessive wind effects at ground level, which is characteristic of much taller buildings.



*Malmö Bo01  
Density = 120  
persons per  
hectare*