



IC Lights C/W1

Designed by Michael Anastassiades, 2014



Halogen - 60W

Wall-ceiling lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Ceiling, Wall
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E14
Ilcos	HSGS
Number of lamps	1
Power (W)	60

Physical

Colour	Brass
Length (mm)	200
Net weight (kg)	1.65
Package volume (m3)	0.04
IP internal	20



Download Mounting instructions	⊥ PDF
Photometric Files	⊥ LDT
Technical Drawings	<u>↓</u> ZIP
3D	业 ZIP
⊕ Bim	⊥ ZIP


















Schematic light drawing




Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	1	
Frequency (Hz)	50/60	
Main voltage (Vac)	220-250	
Dimmable	Yes	
Dimming interface	Remote Dimmable (Dimmer Not Included)	
Batteries inside	No	





NOT INCLUDED

NOT INCLUDED


RF32290

RF3229

LED Lamp E14 8W 2700K T28

LED Lamp E14 8W 3000K T28

Spare Parts



1. IC Lights 1 diffuser for brass F3136059

version

02. Kit with screws and allen key RF3160100



F3136059

IC Lights 1 diffuser for brass version

RF3160100

Kit with screws and allen key