



MONO-V. DESKS

DESIGN: WOLFGANG C. R. MEZGER.

Table legs

Desks:

T-leg: column and base plate in powder-coated matt black or aluminium polished chrome (for an upcharge).

Panel leg: panel legs in the same finish as the table top. column in powder-coated matt black or aluminium polished chrome (for an upcharge).

Meeting table:

T-leg: column and base plates in powder-coated matt black or aluminium polished chrome (for an upcharge).

Single workstation:

Carcass in connection with pillar or pillar and panel: Carcass (with 2 doors for easy access to technology) with 2 pillars in powder-coated matt black or polished chrome finish (for an upcharge). Alternatively, the pillars can be covered by a panel in the carcass surface.

Table top

Depending on the selected lower frame form, the following table top versions are available:

Variation with panel leg:

MDF table top with a straight edge. Top thickness 46 mm.

Variation with T-leg:

MDF table top with a straight or with bevelled edge. Top thickness 28 mm.
Finishes: fine-textured paint, .03 paint white, HPL laminate, fenix®, linoleum, veneers.

Adjustable height

Desks, meeting tables and single workstations are available as height-adjustable models for upcharge with an integrated motor (74-120 cm).

Height adjustment for desks and single workstations:

The manual switch for controlling height adjustment can be pushed under the table top completely and has touch technology.

It has a digital height display and default memory positions can be set individually.

In the delivery state, the manual switch is always located on the right operator side.

Height adjustment for conference tables:

The manual switch for controlling height adjustment is integrated into the table top and has touch technology.

It has neither a digital height display nor any default memory positions.

In the delivery state, the manual switch is always located in the center of the table and can be easily reached by all users.

Please note: The height adjustment option is UL-certified (North America) but is not PSE-certified (Japan).

Plug management**Desks:**

- with integrated power sockets in the cable tray (alternatively, with cable duct horizontal – separate item number 7699)
- with power cable, length 290 cm

Meeting table

- with integrated power sockets in the cable tray
- with power cable, length 290 cm
- vertical cable duct already integrated
- for height adjustment: flexible vertical cable duct

Depending on the selected table top version, there are different cable grommet options.

Desks with 46 mm table top in conjunction with leather pad:

- select among a simple grommet in the table top partially covered by the leather pad (without lid) in the surface version powder-coated matt black or a standard cable grommet in the surface versions powder-coated matt black or chrome finish

Desks with 46 mm table top without leather pad or 28 mm table top (straight/chamfered)

- standard cable grommet in the surface versions powder-coated matt black or chrome finish
- Conference tables:
 - standard cable grommet in the surface versions powder-coated matt black or chrome finish
 - always centered
- table connection can either be made via Netbox Point or alternatively, via Connector Basic/Advanced

Accessories

The tables can optionally be equipped with modesty panels. They are available in leather Congress or alternatively, in fine textured paint or veneer.


For the desk with side panels and 46 mm table top, a matching leather pad with folded edge is available in Congress leather. The leather pad can be used to partially cover cable grommets – if integrated.

Alternatively, the standard leather pad (7693) can be used for both the 46 mm table top and the 28 mm table top.


Remaining accessories in accordance with item number overview.

MONO-V


Free-standing desk, with two panel legs




7600
W 240 D 95 H 74
W 94½ D 37½ H 29¼




7610
W 220 D 95 H 74
W 86½ D 37½ H 29¼




7620
W 200 D 95 H 74
W 78¾ D 37½ H 29¼



7630
W 180 D 95 H 74
W 70¾ D 37½ H 29¼




7633
W 180 D 75 H 74
W 70¾ D 29½ H 29¼




7615
W 160 D 75 H 74
W 63 D 29½ H 29¼

suitable pedestal:
sideboard or free-standing pedestal


Free-standing desk, with two T-legs




7605
W 240 D 100 H 74
W 94½ D 39¼ H 29¼




7606
W 220 D 100 H 74
W 86½ D 39¼ H 29¼




7607
W 200 D 100 H 74
W 78¾ D 39¼ H 29¼




7608
W 180 D 100 H 74
W 70¾ D 39¼ H 29¼




7602
W 240 D 95 H 74
W 94½ D 37½ H 29¼




7612
W 220 D 95 H 74
W 86½ D 37½ H 29¼




7622
W 200 D 95 H 74
W 78¾ D 37½ H 29¼



7632
W 180 D 95 H 74
W 70¾ D 37½ H 29¼




7609
W 180 D 80 H 74
W 70¾ D 31½ H 29¼




7613
W 160 D 80 H 74
W 63 D 31½ H 29¼

suitable pedestal:
sideboard or free-standing pedestal




7635
W 180 D 75 H 74
W 70¾ D 29½ H 29¼




7616
W 160 D 75 H 74
W 63 D 29½ H 29¼


Extension desk, with panel leg




7601
W 240 D 95 H 74
W 94½ D 37½ H 29¼




7611
W 220 D 95 H 74
W 86½ D 37½ H 29¼




7621
W 200 D 95 H 74
W 78¾ D 37½ H 29¼



7631
W 180 D 95 H 74
W 70¾ D 37½ H 29¼




7636
W 180 D 75 H 74
W 70¾ D 29½ H 29¼




7617
W 160 D 75 H 74
W 63 D 29½ H 29¼

suitable pedestal for table top depth 100 cm: Art.No. 7672
suitable pedestal for table top depth 95 cm: Art.No. 7668
suitable pedestal for table top depth 80 cm: Art.No. 7673
suitable pedestal for table top depth 75 cm: Art.No. 7670


Extension desk, with T-leg




7625
W 240 D 100 H 74
W 94½ D 39¼ H 29¼




7626
W 220 D 100 H 74
W 86½ D 39¼ H 29¼




7627
W 200 D 100 H 74
W 78¾ D 39¼ H 29¼




7628
W 180 D 100 H 74
W 70¾ D 39¼ H 29¼




7604
W 240 D 95 H 74
W 94½ D 37½ H 29¼




7614
W 220 D 95 H 74
W 86½ D 37½ H 29¼




7624
W 200 D 95 H 74
W 78¾ D 37½ H 29¼



7634
W 180 D 95 H 74
W 70¾ D 37½ H 29¼




7629
W 180 D 80 H 74
W 70¾ D 31½ H 29¼




7619
W 160 D 80 H 74
W 63 D 31½ H 29¼

suitable pedestal for table top depth 100 cm: Art.No. 7672
suitable pedestal for table top depth 95 cm: Art.No. 7668
suitable pedestal for table top depth 80 cm: Art.No. 7673
suitable pedestal for table top depth 75 cm: Art.No. 7670




7637
W 180 D 75 H 74
W 70¾ D 29½ H 29¼




7618
W 160 D T 75 H 74
W 63 D 29½ H 29¼

MONO-V


Meeting tables, free-standing, with T-leg



7646
W 240 D 110 H 74
W 94½ D 39¼ H 29¼




7647
W 220 D 110 H 74
W 86½ D 37½ H 29¼




7654
W 200 D 110 H 74
W 78¾ D 37½ H 29¼

Single workstation, with pillar




7641
W 158 D 70 H 74
W 62¼ D 27½ H 29¼




7639
W 125 D 70 H 74
W 49¼ D 27½ H 29¼

Single workstations cannot be freestanding.
A pedestal must be located on both the right and the left.

Single workstation, with pillar and panel



7640
W 158 D 70 H 74
W 62¼ D 27½ H 29¼



7638
W 125 D 70 H 74
W 49¼ D 27½ H 29¼

Single workstations cannot be freestanding. A pedestal
must be located on both the right and the left.

The panel and carcass have the same surface characteri-
stics. The table top can be selected as desired.



MONO-V. PEDESTALS

DESIGN: WOLFGANG C. R. MEZGER.

Finishes	Fine-textured paint, .03 paint white or veneers from price groups IV, V, VI. Corpus inside: silver grey melamine.	Accessories	For versions, accessories and cable management see following pages.
Doors and drawers	Doors and drawers can be opened with a touch function, without handles or alternatively with handles in powder-coated matt black or polished chrome.	Ordering notes	<i>When ordering more than two tables, please indicate which containers belong to which table.</i> <i>To ensure matching veneer on adjacent pedestals, a planning drawing is required with the order.</i>
Plug management	Cable routing: Floor box: The floor of the support pedestal has an 19 x 19 cm access hatch to the floor box. The cables can also be routed through the lower ventilation slot. Pedestals can be cabled to the adjacent pedestal through recesses in the sides. Ventilation: All pedestals have a 25 mm deep ventilation opening at the top and bottom, between the rear panel and the floor. It is as wide as the container. When installing devices, the relevant manufacturer information with regard to ventilation must be observed.		

pedestal 55 cm - extension pedestal



1 door, 1 shelf

7660

W 55 D 60 H 58,5
W 21¾ D 23½ H 23



2 drawers,
1 with waste bin

7648

W 55 D 60 H 58,5
W 21¾ D 23½ H 23



2 drawers,
1 with suspension filing frame

7662

W 55 D 60 H 58,5
W 21¾ D 23½ H 23



3 drawers

7664

W 55 D 60 H 58,5
W 21¾ D 23½ H 23



2 drawers,
of which 1 is a pull-out printer shelf

7666

W 55 D 60 H 58,5
W 21¾ D 23½ H 23

pedestal 70 cm - extension pedestal



1 door, 1 shelf

7661

W 70 D 60 H 58,5
W 27½ D 23½ H 23



2 drawers,
1 with waste bin

7649

W 70 D 60 H 58,5
W 27½ D 23½ H 23



2 drawers,
1 with suspension filing frame

7663

W 70 D 60 H 58,5
W 27½ D 23½ H 23



3 drawers

7665

W 70 D 60 H 58,5
W 27½ D 23½ H 23




2 drawers,
of which 1 is a pull-out printer shelf

7667

W 70 D 60 H 58,5
W 27½ D 23½ H 23


support pedestal



2 doors
Area on the left and right suitable to accommodate a PC tower.

7670


W 80 D 60 H 58,5
W 31½ D 23½ H 23
Clear dimensions:
W 22 D 48 H 50
W 8¾ D 19 H 19¾



2 doors
Area on the left and right suitable to accommodate a PC tower.

7673


W 86 D 60 H 58,5
W 33¾ D 23½ H 23
Clear dimensions:
W 22 D 48 H 50
W 8¾ D 19 H 19¾



2 doors
Area on the left and right suitable to accommodate a PC tower.

7668

W 100 D 60 H 58,5
W 39¾ D 23½ H 23
Clear dimensions:
W 28 D 48 H 50
W 11 D 19 H 19¾



2 doors
Area on the left and right suitable to accommodate a PC tower.

7672

W 111 D 60 H 58,5
W 43¾ D 23½ H 23
Clear dimensions:
W 28 D 48 H 50
W 11 D 19 H 19¾

MONO-V

side covers



7669


W 1 D 60 H 58,5
W ½ D 23½ H 23



7671

W 1 D 60 H 58,5
W ½ D 23½ H 23


modesty panels in leather Congress



7695-1

for desk 7600


W 220 D 32
W 86½ D 12½



7695-2

for desk 7602, 7605, 7610


W 200 D 32
W 78¾ D 12½



7695-3

for desk 7606, 7612, 7620


W 180 D 32
W 70¾ D 12½



7695-4

for desk 7607, 7622, 7630, 7633


W 160 D 32
W 63 D 12½



7695-5

for desk 7601, 7608, 7609, 7632,
7635


W 145 D 32
W 57 D 12½



7695-9

for desk 7615

W 140 D 32
W 55 D 12½



7695-6

for desk 7604, 7611, 7613, 7614,
7616, 7625, 7626

W 125 D 32
W 49¼ D 12½



7695-7

for desk 7621, 7624, 7627, 7628,
7629, 7634, 7637

W 105 D 32
W 41¼ D 12½




7695-8

for desk 7617, 7618, 7619, 7631,
7636


W 85 D 32
W 33½ D 12½

modesty panel




7696-1
for desk 7600

W 220 D 32
W 86½ D 12½




7696-2
for desk 7602, 7605, 7610

W 200 D 32
W 78¾ D 12½




7696-3
for desk 7606, 7612, 7620

W 180 D 32
W 70¾ D 12½




7696-4
for desk 7607, 7622, 7630, 7633

W 160 D 32
W 63 D 12½




7696-5
for desk 7601, 7608, 7609, 7632,
7635

W 145 D 32
W 57 D 12½



7696-9
for desk 7615

W 140 D 32
W 55 D 12½



7696-6
for desk 7604, 7611, 7613, 7614,
7616, 7625, 7626

W 125 D 32
W 49¼ D 12½



7696-7
for desk 7621, 7624, 7627, 7628,
7629, 7634, 7637


W 105 D 32
W 41¼ D 12½



7696-8
for desk 7617, 7618, 7619, 7631,
7636


W 85 D 32
W 33½ D 12½

leather pad




7693
without chamfer

W B 85 D 55
W 33½ D 21¾




7694-1
for desk 7600, 7601

W 239,7 D 58
W 94¼ D 22¾




7694-2
for desk 7610, 7611

W 219,7 D 58
W 86½ D 22¾




7694-3
for desk 7620, 7621

W 199,7 D 58
W 78½ D 22¾



7694-4
for desk 7630, 7631, 7633, 7636

W 179,7 D 58
W 70¾ D 22¾



7694-5
for desk 7615, 7617

W 159,7 D 58
W 63 D 22¾

MONO-V

leather inlay



7698
for pedestal 55 cm wide



7655
for pedestal 70 cm wide

drawer dividers



only in combination with leather insert

7656
for pedestal 55 cm wide



only in combination with leather insert


7653
for pedestal 70 cm wide

laptop-compatible construction



7685
for pedestal 55 cm wide


clear dimensions:
W 45 D 48 H 10
W 17¾ D 19 H 4



7686
for pedestal 70 cm wide



clear dimensions:
W 60 D 48 H 10
W 23½ D 19 H 4

utensil tray for drawers



Please give the article number of the pedestal when ordering.

7657
for pedestal 55 cm wide



Please give the article number of the pedestal when ordering.


7658
for pedestal 70 cm wide

hanging file insert

Please specify the positioning inside the side-board (left and/ or right).

7697

cable duct horizontal

**7699-1**

for desk 7600

W 214 D 29
W 84¼ D 11½**7699-2**

for desk 7610

W 194 D 29
W 76½ D 11½**7699-3**

for desk 7601, 7620

W 174 D 29
W 68½ D 11½**7699-4**

for desk 7611, 7630, 7633

W 154 D 29
W 60¾ D 11½**7699-5**for desk 7602, 7604, 7605, 7606,
7612, 7614, 7615, 7621, 7625,
7626W 134 D 29
W 52¾ D 11½**7699-6**for desk 7607, 7608, 7609, 7617,
7622, 7624, 7627, 7628, 7629,
7631, 7632, 7634, 7635, 7636,
7637W 114 D 29
W 45 D 11½**7699-7**

for desk 7613, 7616, 7618, 7619

W 94 D 29
W 37 D 11½




MONO-V. SIDEBOARD

DESIGN: WOLFGANG C. R. MEZGER.

Finishes	The surface for the carcass inclusive sliding panels for the technician access and frame can be selected independently of each other. In each case, the following surfaces are available: fine-textured paint, .03 white paint, or veneers. Carcass interior: Melamine resin, silver-grey, coated.		Ventilation: The sideboard has a 25 mm deep ventilation opening at the top and bottom, between the rear panel and the floor. This continues over the entire width. When installing devices, the relevant manufacturer information with regard to ventilation must be observed.
Doors and drawers	Doors and drawers can be opened with a touch function, without handles or alternatively with handles in powder-coated matt black or polished chrome.	Accessories	For versions, accessories and electrification see following pages.
Plug management	As standard, a power strip with 4 sockets is located below the sliding panel. For an upcharge, the upper drawer elements can also be electrified. Cable routing: The sideboard has an approximately 19 x 19 cm access point to the floor tank on its lower floor. The cables can also be routed through the lower ventilation slot.	Ordering notes	<i>When ordering more than two tables, please indicate which containers belong to which table.</i> <i>To ensure matching veneer on adjacent containers, a planning drawing is required with the order.</i>

Sideboard



7650

W 145 D 59 H 63

clear dimensions:

W 60 D 10/29 H 38

W 57 D 23¼ H 24¾

clear dimensions:

W 23½ D 4/11½ H 15