Eames[®] Desk and Storage Units

Table of Contents	2
Eames Desk Unit	3
Eames Storage Unit	4

Specifications are based on the latest information available at the time of publication. The right is reserved to make changes at any time without notice in finishes, materials, specifications, and models and to discontinue models and finishes.

Dimensions shown are approximate and given in inches to the nearest sixteenth of an inch.

For specific information about features and options available on each model, prices, and ordering information, please refer to the Herman Miller *Tables and Furniture Price Book*.

^{© 2004,} Herman Miller, Inc., Zeeland, Michigan

[®] HermanMiller and Eames are among the registered trademarks of Herman Miller, Inc.

Description

EDU20. EDU21.

This desk unit has a zinc-coated steel frame, a birch top, painted side panels, and a birch-front file drawer on the left or right side. It has adjustable glides.

Dimensions	Height	Depth	Width
	29"	28"	60"

Construction

The desktop and drawer front shall be .709" Baltic birch plywood with a clear lacquer finish. Drawer slides shall be steel. Back and side panels shall be painted, 1/8"-thick tempered masonite.

The cross brace shall be 7/32" thick zinc-plated cold-rolled steel and the legs shall be 13-gauge zinc-plated cold-rolled steel. Each leg shall have a height-adjustable glide with a steel stem, neoprene cushion, and a bottom cap of black plastic.

An oval, stamped aluminum medallion, screen-printed with the Eames signature, shall be attached to the backside edge of the birch plywood drawer front. A clear sticker with the Eames Office name and logo shall be placed adjacent to the medallion.

Description ESU100 ESU150 ESU201 ESU230 ESU420

This storage unit is available in 1, 2, or 4 units high and 1 or 2 units wide with 5 configurations of shelves, drawers, and enclosed storage for books or binders. Units have dimpled plywood doors; plywood drawer units and shelves; painted side and back panels; and steel uprights, cross supports, and perforated panels. The storage unit has adjustable glides.

Dimensions	Height	Depth	Width	
ESU100	20 1/2"	16"	47"	_
ESU150	20 1/2"	16"	24 1/2"	
ESU201	32 1/2"	16"	47"	
ESU230	32 1/2"	16"	47"	
ESU420	58 1/2"	16"	47"	

Construction

The doors shall be clear-faced five-ply maple veneer with a clear lacquer finish, and the top, drawer fronts, and shelves shall be .709" Baltic birch plywood with a clear lacquer finish. Drawer slides shall be steel. One back panel shall be zinc-plated 18-gauge cold-rolled steel and the other back and side panels shall be painted, 1/8"-thick tempered masonite.

The cross brace shall be 7/32" thick zinc-plated cold-rolled steel and the legs shall be 13-gauge zinc-plated cold-rolled steel. Each leg shall have a height-adjustable glide with a steel stem, neoprene cushion, and a bottom cap of black plastic.

An oval, stamped aluminum medallion, screen-printed with the Eames signature, shall be attached to the back edge of the lowest shelf. A clear sticker with the Eames Office name and logo shall be placed adjacent to the medallion.