

FLOS

F0095054 Light Silver Anodized

Aim Small

Designed by Ronan & Erwan Bouroullec, 2014




12W - 725lm - 2700K - CRI > 90

Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched PC. Directionable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos. Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 metres and thus the lamp can be suspended 3 metres from the ceiling. Multiple rose with capacity to connect up to 5 Aim Small also available.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




Main specifications

EAN	8059607000113
Mounting	Suspension
Environment	Indoor dry location
Light source type	LED
LED type	LED Module
Lamp holder	LED Module
Number of heads	1
Power (W)	12
System power (W)	12
System flux (lm)	725

Physical

Colour	Light Silver Anodized
Cord length (mm)	9000/3000
Net weight (kg)	1.35
Package height (cm)	31
Package width (cm)	30
Package length (cm)	30
Package volume (m ³)	0.03
IP	20
IP external	20

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  LDT


Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing




Luminous flux luminaire
725 lm

The above drawing is for illustrative purposes only and refers to product code:
F00950XXWAIM-SMALL_12W-LED

Ecodesign and Energy

Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only)
light source by a
professional

Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700
CRI>	90

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Driver	Integrated
Dimming type	Mains Cut Dimming
Cord length (mm)	9000/3000
Batteries inside	No

Accessories & Power Supply



OPTIONAL

F0093030

Aim Canopy



OPTIONAL

RF22227

Aim Dimmer

Spare Parts



RF0090154

Natural anodized ceiling
attachment assembly



RF0095100

Sink/chip led/reflector assembly
Aim small



RF0095500

Aim small opal diffuser



RF06750

Kit of quantity 3 m4 screws



RF1555030

Ceiling rose assembly