



IC Lights S2

Designed by Michael Anastassiades, 2014



Halogen - 205W

Suspension lamp providing diffused light. Frame in brass, chrome or black. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT


Brass

Main specifications

EAN	8059607003442 Suspension	
Mounting		
Environments	Indoor dry location	
Light source type	Bulb	
Light sources included	No	
Lamp category	Halogen	
Lamp holders	E27	
Ilcos	HSGS	
Number of lamps	1	
Power (W)	205	

Physical

Coloui	Di ass
Length (mm)	300
Cord colour	Black
Cord length (mm)	2700
Canopy colour	Brass
Canopy length/diameter (mm)	113
Canopy height (mm)	32
Net weight (kg)	2.95
Package volume (m3)	0.1
IP internal	20



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	<u>↓</u> ZIP
3D	⊥ ZIP
₿Bim	.V. ZIP

















Schematic light drawing





Photometric


Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	1
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No









NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38

NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

NOT INCLUDED


RF26259

LED Lamp 18W E27 2700K Dimmable **NOT INCLUDED**

RF26258

LED Lamp 18W E27 3000K T38 Dimmable

Spare Parts



01.	IC Lights 2 diffuser for brass	F3137059
	version	
02.	Ic Suspension 1/Suspension 2	RF3170359
	brass ceiling rose assembly	
03.	Kit with screws and allen key	RF3160100
04.	Ic Suspension 2 E27 lamp holder	RF3160200
	assembly	







F3137059

IC Lights 2 diffuser for brass version

RF3170359

Ic Suspension 1/Suspension 2 brass ceiling rose assembly

RF3160100

Kit with screws and allen key

RF3160200

Ic Suspension 2 E27 lamp holder assembly