

 Veneer Stone



Arctic Collection

Technical Guide

Inspired by Native Australian Stone




Contents

Colour Selection	02
Gallery	04
Benefits	06
Product Specification	08
Installation Guide	10

Choose Your


Colour



LIMESTONE



TRAVERTINE



DUNE




SANDSTONE



NATURAL GREY



GRANITE



BLUESTONE

Commonly blended colours for a contrasted finish are:

Limestone & Travertine

Sandstone & Natural Grey

The product colours in this booklet are as accurate as current photography & printing techniques allow.
We suggest you look at actual samples for a better idea and selection.

Capping



LIMESTONE



TRAVERTINE



EARTH



SLATE



SANDSTONE



NATURAL GREY



GRANITE



BLUESTONE

Pier Caps



SANDSTONE



TRAVERTINE



LIMESTONE



GREY




CHARCOAL

Pier Caps:
Sandstone (for Dune and Sandstone)
Travertine
Limestone (for Dune and Limestone)
Grey (for Natural Grey and Granite)
Charcoal (for Slate and Bluestone)

The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

Arctic

The Arctic Collection exudes sophistication with its advanced design. The stones radiate a refreshing cool tone that enhances any setting. This elegant material blends seamlessly with its surroundings, offering a timeless quality and enduring appeal. Whether for residential or commercial projects, Arctic Stone will elevate your design significantly.





Scan Me
For more project
images visit our
image library

Natural Grey



The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

Benefits



Limestone



Natural Grey



Travertine



Sandstone



Light
Weight



Aesthetics



Highly
Durable



Low
Maintenance



WHY CHOOSE VENEER STONE

- Ideal for commercial use
 - Architects Choice
 - Corners and Capping available to suit all products
 - Australian Made and Owned

Travertine

The state of the art structure of Arctic Stone complements any style of application from house facades, living room feature walls, poolside water features, as well as outdoor paving. Arctic Stone leaves a stunning impression, and is suitable for residential and commercial applications, both indoors and outdoors.

Please note: all sizes printed are approximate and are subject to change. For current exact measurements please contact Head Office on 02 4606 4907.

Arctic

All weights and measurements are approximate.

Order Multiples Bodies	45-49 kg/m2	per layer 1 m2 49 kg	per pallet 17 m² 765 kg approx.
Order Multiples Corners	15 kg per L/m	per case 2 L/m 30 kg	per pallet 60 L/m 900 kg approx.

RANDOM SIZES:

approx. LENGTH: 100mm - 470mm

approx. WIDTH: 100mm - 470mm

approx. HEIGHT: 20mm - 35mm



LIMESTONE



NATURAL GREY



TRAVERTINE



GRANITE



DUNE



BLUESTONE



SANDSTONE





Prefabricated corners
available for all products



Estimating Stone Required


When installing with dry joints (dry stacked) add an extra 10-15% to allow for extra cuts and wastage.

Bodies: Calculate the total surface area by square metre.



Corners: Calculate the lineal metres of corner stones required by measuring all external corners from top to bottom.

Please note 1 lineal metre of corners equates to approximately 0.2 m² of surface area. (deductible off bodies)



Veneer Stone estimation calculator
www.veneerstone.com.au/calculator

Random Shade Variation

Extreme colour and texture variation will occur from piece to piece and within each batch for a random look. The look of the final installation will be unique. Please review the range of products before making your final selection.

Approximate Weights

	Bodies	Corners
Arctic Range	49 kg/m ²	15 kg per L/m

Application

Suitable for interior and exterior walls, Veneer Stone can be installed around fireplaces, though no closer than 25cm to a naked flame. Veneer Stone can also be installed around wet areas, however, continued exposure to chlorine and other chemicals may eventually affect the colouration of the products. When frequently exposed to water, we recommend protection with Ven Seal Ultra WB sealer.

Corners: There are approx. 10 different shapes and sizes, each box contains a mixture of:

Short Return Range: 70 - 120mm

Long Return Range: 110 - 260mm

Capping: approx. Width 280-300mm x Length 490-510mm, Thickness 35-45mm

Pier Caps: available sizing
 390 x 390mm, Thickness 50mm

Installation


Joint Width: The Arctic collection has been designed to be installed with either a dry joint or a 8-12mm mortar/grout joint. When applying the stones use timber or plastic dowels/wedges to keep the joints evenly spaced. Due to the nature of the product, stones will vary in size and may need extra wedges to allow for height variation.

Dry Joint Installation Tip: If installing with dry joints, please ensure either the wall or adhesive are a dark colour before starting. This can be done by purchasing a dark tile adhesive or tinting mortar with black oxide (check with your local glue supplier). This will help cast a shadow between stones giving a solid dry stone look. These stones will not line up to the millimetre, **you will need off cuts and thin cut stones to fill any voids between the stone once the stones are applied.**

Step 1:

- Lay the stones on the ground to plan your stone application.
- If your application requires corners, apply these first alternating the long and short return in opposite directions.
- Cut or trim stones using a wet saw or angle grinder with a diamond blade attached.
- Lay 1st layer of product at the base of wall.

Step 2:



Installing with Dry Joint: Take time when laying the stone to cut thin stones to fill small gaps between the larger joints. This will create a natural hand crafted stone masonry look.

Installing with Mortar Joint: Pointing mortar or tile grout can be used to fill the joints. One of the easiest and fastest ways to fill the joints is with a piping bag. Purchase your piping bag from Veneer Stone by calling 1300 984 572 or email admin@veneerstone.com.au.

Sealing: To retain the original fresh quarried look we suggest sealing the stone. If you would like the stone to mellow slightly and gain the European look after years of harsh weathering don't seal the product.

Inspired By Nature

We provide an extensive selection of stone veneers to suit even the most discerning tastes. Our range of colours and textures is inspired by native stone, such as McLaren Vale limestone, Victorian bluestone, and Central Coast sandstone. With our offerings, you can achieve a timeless and natural Australian aesthetic that will beautifully enhance any property.

Improves with Age

Inspired in the harsh Australian climate, Veneer Stone ages beautifully. When unsealed, it takes on an historic look after years of weathering. Or, to retain the fresh quarried look and enhance the natural colours, you simply seal the stone with a penetrating sealer.

Unprecedented Style

Our stunning collection of stone veneers allows you to create contemporary or classic designs with the distinctive look and relaxed feel of solid stone walling. Veneer Stone is suitable for tiling over many internal and external surfaces. It's the perfect solution for your stone walling with less impact on the environment than solid stone.

Australian Product

Designed and manufactured in Australia, Veneer Stone is made from a blend of crushed sandstone with less than 1% natural colour pigments. All stone comes in tile form, from 20 to 43 millimetres thick, and is easy to install. Pre-fabricated corners and capping are highly recommended for creating a refined solid stone look.

Veneer Stone is a Family owned business which commenced trading in 1998. We have already undertaken a number of prestigious projects throughout Australia for Architects, Builders, Property Developers, Home Owners and Renovators. We welcome the opportunity to earn your trust and discuss how we can make your ideas become a reality.

Veneer Stone handcraft the highest quality, attractive and easy to install stone veneers. All Veneer Stone products and colours are inspired by native Australian stone. Veneer Stone can be used for residential and commercial applications, both indoors and outdoors.

Veneer Stone is based on the belief that our customers' needs are of the utmost importance. Our entire team is committed to meeting those needs. As a result, a high percentage of our business is from repeat customers and referrals.

For more information, visit our website, a display location near you, or contact us.

Veneer Stone has warehouse locations in Appin, NSW, Danenong Vic, Darra Depot Qld and Mount Barker SA.

Contact Us



15 Technology Drive,
Appin NSW 2560
Australia
Head Office

2/26 Egan Road,
Dandenong VIC 3175
Australia
VIC Warehouse

Darra Depot,
Brisbane QLD
Australia
QLD Warehouse



/veneerstone



1300 984 572



/veneerstoneaustralia



veneerstone.com.au