

Veneer Stone



Ledgestone Collection Technical Guide



Choose Your


Colour



LIMESTONE



TRAVERTINE



DUNE



EARTH



SANDSTONE



NATURAL GREY



GRANITE



SLATE

The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

Capping



LIMESTONE



TRAVERTINE



EARTH



SLATE



SANDSTONE



NATURAL GREY



GRANITE



BLUESTONE

Pier Caps



SANDSTONE



TRAVERTINE



LIMESTONE



GREY




CHARCOAL

Pier Caps:
Sandstone (for Dune and Sandstone)
Travertine
Limestone (for Dune and Limestone)
Grey (for Natural Grey and Granite)
Charcoal (for Slate and Bluestone)

The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

Ledgestone

Drawing direct inspiration from natural stone, our Ledgestone Collection is perfect for those who desire a fusion of classic and contemporary design elements. The symmetrical characteristics of the stone beautifully enhance modern architectural styles. Additionally, its innovative design features a seamless interlocking mechanism, making installation effortless.





Sandstone




Scan Me

For more project
images visit our
image library

Earth



Slate



Sandstone

The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

Benefits



Travertine



Light
Weight



Aesthetics



Highly
Durable



Low
Maintenance



Ledgestone veneer stone offers the look of dry stacked stone which gives timeless beauty to any application, whether it's your house facade, office feature wall, fireplace, poolside feature or general landscaping. Ledgestone's interlocking panel allows for user friendly installation with the most complex of designs.

We carefully blend crushed sandstone with less than 1% natural colour pigments to create the distinctive look and relaxed feel of solid natural stone walling with a fraction of the weight. All products come in tile form and range from 20mm - 30mm in thickness. Capping is available for all products and is highly recommended for use.


The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

Ledgstone

All weights and measurements are approximate.

Order Multiples Bodies: 43 - 49 kg/m² per box 0.55 m² | 27 kg per pallet 19.8 m² | 972 kg approx.

Average Thickness: 20mm - 30mm





All bodies interlock around corners.

Estimating Stone Required

When installing with dry joints (dry stacked) add an extra 10-15% to allow for extra cuts and wastage.

Bodies: Calculate the total surface area by square metre.



Corners: All bodies interlock around corners.

Random Shade Variation

Extreme colour and texture variation will occur from piece to piece and within each batch for a random look. The look of the final installation will be unique. Please review the range of products before making your final selection.

Approximate Weights

	Bodies
Ledgestone Range	43 - 49 kg/m ²

Application

Suitable for interior and exterior walls, Veneer Stone can be installed around fireplaces, though no closer than 25cm to a naked flame. Veneer Stone can also be installed around wet areas, however, continued exposure to chlorine and other chemicals may eventually affect the colouration of the products. When frequently exposed to water, we recommend protection with Ven Seal Ultra WB sealer.

Capping: approx. Width 280-300mm x Length 490-510mm, Thickness 35-45mm

Pier Caps: available sizing
390 x 390mm, Thickness 50mm

Veneer Stone estimation calculator
www.veneerstone.com.au/calculator


Installation

Important Note: Our Ledgestone collection has been designed to have irregular edges to give a rustic appeal. This will create small voids between some panels. If your application requires corners to be covered, apply these first. We suggest you prepare the wall by ensuring the colour of the wall is similar to the stone. This can be done by tinting the glue or mortar with an oxide. Check with your local glue supplier for warranty & terms.

Installation Tips:

- Ledgestone has been designed for dry stack installation/presentation. When applying the panels keep the joints as tight as possible to retain the natural dry stone look.
- If your application requires corners to be covered, apply these first.
- After the corner pieces have been applied, apply the stone panel's 1-2 layers at a time, working towards the centre.
- Colour, size and texture variation is an essential aspect of a natural looking stone wall. Select stone from different boxes and lay out across your job site to ensure you gain this look. The visual effect will be enhanced by an overall natural mixed presentation.

Sample Installation guide – (just like brick work) avoid straight vertical lines when placing the stone



All bodies interlock around corners

Cutting the Stone Panels: The stone panels can be cut or trimmed using a wet saw, hammer & bolster, wide mouth nippers or angle grinder with diamond blade attached.

Sealing: To retain the original fresh quarried look we suggest sealing the stone. If you would like the stone to mellow slightly and gain the European look after years of harsh weathering, don't seal the product.

Inspired By Nature

We provide an extensive selection of stone veneers to suit even the most discerning tastes. Our range of colours and textures is inspired by native stone, such as McLaren Vale limestone, Victorian bluestone, and Central Coast sandstone. With our offerings, you can achieve a timeless and natural Australian aesthetic that will beautifully enhance any property.

Improves with Age

Inspired in the harsh Australian climate, Veneer Stone ages beautifully. When unsealed, it takes on an historic look after years of weathering. Or, to retain the fresh quarried look and enhance the natural colours, you simply seal the stone with a penetrating sealer.

Unprecedented Style

Our stunning collection of stone veneers allows you to create contemporary or classic designs with the distinctive look and relaxed feel of solid stone walling. Veneer Stone is suitable for tiling over many internal and external surfaces. It's the perfect solution for your stone walling with less impact on the environment than solid stone.

Australian Product

Designed and manufactured in Australia, Veneer Stone is made from a blend of crushed sandstone with less than 1% natural colour pigments. All stone comes in tile form, from 20 to 43 millimetres thick, and is easy to install. Pre-fabricated corners and capping are highly recommended for creating a refined solid stone look.

Veneer Stone is a Family owned business which commenced trading in 1998. We have already undertaken a number of prestigious projects throughout Australia for Architects, Builders, Property Developers, Home Owners and Renovators. We welcome the opportunity to earn your trust and discuss how we can make your ideas become a reality.

Veneer Stone handcraft the highest quality, attractive and easy to install stone veneers. All Veneer Stone products and colours are inspired by native Australian stone. Veneer Stone can be used for residential and commercial applications, both indoors and outdoors.

Veneer Stone is based on the belief that our customers' needs are of the utmost importance. Our entire team is committed to meeting those needs. As a result, a high percentage of our business is from repeat customers and referrals.

For more information, visit our website, a display location near you, or contact us.

Veneer Stone has warehouse locations in Appin, NSW, Danenong Vic, Darra Depot Qld and Mount Barker SA.

Contact Us



15 Technology Drive,
Appin NSW 2560
Australia
Head Office

2/26 Egan Road,
Dandenong VIC 3175
Australia
VIC Warehouse

Darra Depot,
Brisbane QLD
Australia
QLD Warehouse



/veneerstone



1300 984 572



/veneerstoneaustralia



veneerstone.com.au