

## More for less



- Dimmable down to 5% with most trailing and leading edge dimmers
- Beam Angle Options: 36°, 60°
- Luminous flux of 900lm with 90lm/W efficacy
- Amazing anti-glare qualities with UGR<19°

## Approved Dimmers List






Image	Code	Description
	DIGINET MEDM 2-400W	There is no flicker and the darkest point is within 1% - 15%
	DIGINET MEDM/DGRT	There is no flicker and the darkest point is within 1% - 15%
	Clipsal 32E450TM	There is no flicker and the darkest point is within 1% - 15%
	Clipsal 32E450LM	There is no flicker and the darkest point is within 1% - 15%
	Clipsal 31E2PUPM	There is no flicker and the darkest point is within 1% - 15%













Image	Code	Description
	Clipsal 32E450UDM	There is no flicker and the darkest point is within 15% - 50%
	HPM Cat 400T	There is no flicker and the darkest point is within 1% - 15%
	HPM 200L10-200W	There is no flicker and the darkest point is within 1% - 15%
	TRADER-DIMR-400W	There is no flicker and the darkest point is within 1% - 15%
	TRADER-DIMPR-400W	There is no flicker and the darkest point is within 1% - 15%
	CBUS-L5504D2A	There is no flicker and the darkest point is within 1% - 15%

Image	Code	Description
	CBUS-L5504D2U	There is no flicker and the darkest point is within 1% - 15%
	EATON P9131	There is no flicker and the darkest point is within 1% - 15%
	ABB 6523 UP-102-508	There is no flicker and the darkest point is within 1% - 15%
	LUTRON LLSM-502 40-500VA	There is no flicker and the darkest point is within 1% - 15%
	Legrand-78406	There is no flicker and the darkest point is within 1% - 15%
	Schneider SD400 40-400W	There is no flicker and the darkest point is within 1% - 15%