










熨烫方法 Ironing method		
Common ironing		
 <p data-bbox="236 533 587 607">Wear gloves plate can prevent scald</p>		<div data-bbox="1010 331 1240 562">  </div> <p data-bbox="999 577 1353 689">Hang the cloth ironing plate can assist ironing clothes, include the edge and tails</p> <div data-bbox="1010 768 1240 992">  </div> <p data-bbox="999 1077 1353 1144">Can co-use with hair brush when need remove hair.</p>
<p data-bbox="236 1160 1358 1272">Warmly reminding: 1. don't long time pressed on the same place, avoid damage the clothes. 2. The steam outlet has heat water drop out when ironing, please take protection actions when use, avoid scald damage.</p>		
<p data-bbox="579 1285 1016 1319">Clothes can be level placed for ironing</p> 		

Ironing method	
Ironing trousers	
 <p>Install hair brush</p>	<p>For the customers who has requirements at creases or axes, can use the trouser sew clip assist ironing.</p> <p>Use clip sheet fixed the trousers or clothes well; Packed the trousers clips well; Use trousers clips clamped trousers creases or axes, slowly downward move ironing.</p> <p>Warmly reminding: During the ironing, please don't over bend the steam lead pipe or U-type pipe ironing. 裤缝裤线 轴线</p>  <p>Install trousers clips</p>
 <p>扣紧 Buckle tightly 拆下 Disassemble</p> <p>Buckle the up end of hair brush on the up edge of ironing head, ironing head align to the step at the down edge of hair brush and bulked tightly.</p> <p>Anti direction disassemble it after used then OK</p>	 <p>扣紧 Buckle tightly 拆下 Disassemble</p> <p>Buckle the up end of trouser sew clip on the up edge of ironing head, down end boss buckle on the down of ironing head.</p> <p>Anti direction disassemble it after used then OK</p>

型号、配件及基本参数

型 号	毛刷	裤缝夹	挂烫衣板	手套板
YGD20D8	●	●	○	●
YGD20D7	●	●	●	●

● 表示此型号配置有此附件

○ 表示此型号不配置此附件

型 号	水箱容量	产品重量	额定功率	额定电压/频率	产品尺寸	功能档位	电气原理图
YGD20D8	2,0 (L)	5,6(Kg)	1500 (W)	220V~ /50Hz	358x293 x1600 (mm)	丝绸/ 化纤/ 棉质/ 麻质/ 毛呢/ 毛绒	微电 脑式
YGD20D7		6,7(Kg)					

产品执行标准：GB4706.1-2005 GB4706.84-2007

电气原理图：请参考《日常保养手册》

Model, accessories and basic parameters

Model	Air brush	Trouser sew clip	Hanging ironing plate	gloves plate
YGD20D8				
YGD20D7				

Product execute standard:GB4706.1-2005 GB4706.84-2007

Electric principle diagram: please reference Daily maintenance manual

产品合格证

检查日期：见铭牌

检查结论：合格

检验员号：QC-02

Product qualified certificate

Check date: Please check the data plate

Check conclusion: Qualified

Inspector number: QC-02



本资料上所有内容均经过认真核对, 如有任何印刷错漏或内容上的误解, 可向本公司咨询。
 注: 产品若有技术改进, 会编进新版手册中, 恕不另行通知;
 产品外观、颜色如有改动, 以实物为准。

Back data plate laser code of hanging ironing machine: XX XX XX XX XX

Year

Month

Day

Working section code

Line number

Example:1501071801 means produced at NO.18 working section line 01 in January 7th, 2015

All contents on this datum all have been carefully verified, can consult our company if any printing omit or misunderstanding at content.

Note:if have technical improvement of product, will draw in new edition manual, but please understand that we not inform specially; if changes at product appearance and color, subject to entity.

产品中有害物质的名称及含量

部件名称	有害物质					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
烫头组件	○	○	○	○	○	○
导汽管组件	○	○	○	○	○	○
水箱组件	○	○	○	○	○	○
外壳组件	○	○	○	○	○	○
电源线	X	○	○	○	X	X
电器组件	X	○	X	○	X	X
热锅组件	○	○	○	○	X	X
配重块	X	○	○	○	○	○
底座	○	○	○	○	○	○
支撑杆组件	○	○	○	○	○	○
辅助配件	○	○	○	○	○	○
本表格依据SJ/T 11364的规定编制 ○：表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。 X：表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。						

TEL 400-8899-315

广东美的环境电器制造有限公司

地址：广东省中山市东凤镇东阜路和穗工业园东区28号

邮编：528425

网址：www.midea.com

版本号：1.0

物料编码：16156000002523

Name and content of harmful elements in product

Part name	Harmful elements					
	Lead (Pb)	Mercury(Hg)	Cadmium (Cd)	Hexavalent chromium(Cr(VI))	Polybrominated biphenyl (PBB)	Polybrominated diphenyl ether (PBDE)
Ironing head assembly						
Steam lead assembly						
Water tank assembly						
Shell assembly						
Power supply wire						
Electric assembly						
Heat pan assembly						
Weight balance blocks						
Base						
Support rod assembly						
Assist accessories						

This table draw up according to the stipulates of SJ/T11364

O: means this harmful elements content of all homogeneous material in this part all under the limits which stipulated in GB/T26572.

X: means this harmful elements content of one homogeneous material in this part exceed the limits which stipulated in GB/T26572.

TEL 400-8899-315

Guangdong Midea environment electric manufacture Co., Ltd

Address:NO.28, Hesui industry part east, Dongfu road, Dongfeng town, Zhongshan city, Guangdong province

Postal code:528425

Website:www.midea.com

Version number:1.0

Material code:16156000002523



蒸汽挂烫机

快速入门手册



微信扫一扫，服务立马到

使用前请仔细阅读本手册，并妥善保管






美的 Midea





Steam hanging ironing machine

Quick start manual

Service arrive once WeChat scanning

Read this manual carefully before use, and safety retain it

Part introduce(The below diagram only for reference, the details subject to entity)	
	<div data-bbox="810 573 954 607">Ironing head</div> <div data-bbox="810 698 1150 770">Clothes hanging rod assembly Clip sheet</div> <div data-bbox="810 822 994 855">Steam lead pipe</div> <div data-bbox="810 1030 1019 1064">Hang ironing plate</div> <div data-bbox="810 1196 948 1229">Support rod</div> <div data-bbox="810 1279 971 1312">Fixed wrestles</div> <div data-bbox="810 1404 1093 1516">Steam lead pipe fix parts Control area Water tank</div>
	<div data-bbox="810 1736 1051 1769">Water discharge plug</div>
<div data-bbox="279 1859 638 1989">    </div> <div data-bbox="301 1957 371 1984">裤缝夹</div> <div data-bbox="445 1957 493 1984">毛刷</div> <div data-bbox="566 1957 635 1984">手套板</div>	

<p>Installation introduce</p> <p>① Install support rod assembly</p>	
	<p>Insert</p>
 <p>Flexible adjust height</p>	 <p>松开锁紧按钮，将支撑杆插入主机，锁紧各个固定掰手</p> <p>Loose lock</p> <p>button, insert the support rod into main machine, tightly lock each fix wrestles</p>
 <p>Insert</p> <p>Shown as picture: install each parts well successively</p>	
<p>② 导汽管安装</p> <p>Install steam lead pipe</p>	



1. 将导汽管固定件的凸台标志 2
对准“G”标志，并插到底。

1. Make the concave mark of steam lead pipe fix parts
align to mark “G”, and inserted to be bottom



2. 顺时针旋转导汽管固定件，凸
台对准“G”标志即可锁紧。

Clockwise rotate the steam plead pipe fix parts,
concave align to mark “G” then can tightly
locked.

安装说明


③ 挂烫衣板安装

正面安装示意图

Installation introduce
Installation of hang ironing plate
Front installation diagram







侧面安装示意图








标示卡扣对准第一、二节支
撑按压到位即可。

Marked fasteners align to first and second

<p>Clockwise direction pull out then can disassemble</p> <p>Can up/down move</p> <p>Side installation diagram</p>	<p>section support and pressed on position then OK.</p>
 <p>挂烫衣板仅限于YGD20D7。</p> <p>After finish rotating then can disassemble</p> <p>Hang ironing plate only used in YGD20D7</p>	 <p>标示卡扣对准第一、二节支撑按压到位即可。</p> <p>Marked fasteners align to first and second section support and pressed on position then OK.</p>

<p>Top installation diagram</p>	
 <p>1. 缩短支撑杆到适合自己平烫的高度。</p>	<p>1. Shorten the support rod to the height suit to yourself</p>
 <p>2. 旋转挂烫衣板后面的烫头挂钩, 到侧边位置。</p>	<p>2. Rotate the ironing head hook at back of hang ironing plate, to side edge position</p>

 <p>3. 将挂烫衣板平放到横杆顶部，将挂烫衣板中间固定柱插入到对应孔位，进行固定。</p>	<p>3. Level put the hang ironing plate on the top of cross rod, make the middle fix column of hang ironing plate inserted into corresponding hole to fix.</p>
--	---

<h2>使用说明</h2> <h3>① 准备工作</h3> <p>Operating introduce</p> <p>①Preparation works</p>	
 <p>1. 挂好需熨烫的衣物，挂烫衣板可挂在侧面使用。</p>	<p>1. Hanged the clothes which need ironing well, hang ironing plate can be hanged at side for use</p>
 <p>2. 水箱加水。</p> <p>2. Fill water in water tank</p>	 <p>3. 放回水箱，通电。</p> <p>3. Place back the water tank and power on.</p>
<h3>② 按键控制</h3> <p>②Press key operating</p>  <p>1. 开机 按下“开关”键，启动开机。</p> <p>2. 功能 按下“功能”键，选择合适档位。</p>	<p>1. Start machine Press down the “On/off” key, start machine.</p> <p>2. Function Press down “Function” key, select the suitable gear.</p>

<p>温馨提示:</p> <p>1. 按下“开关”键，等一会即可出蒸汽;</p> <p>2. “毛绒”档蒸汽量最大,“丝绸”档蒸汽量最小。</p>	<p>Warmly reminding:</p> <p>1. Press down the “On/off” key, output steam after waiting a while;</p> <p>2. The max steam volume at “Wistiti”, the min steam volume at “Silk”.</p>
--	--

尺寸: 105*210mm

颜色: 双色印刷

美的蓝: C90 M20

黑 色: K100

材质: 80克双胶纸

Size:105*210mm

Color:double color printing

Midea blue:C90 M20

Black:K100

Material:80g double glue paper

说 明 书		绝 密	
制作	王莺莺	货号	
编码	16156000002523	型号	
版本 信息	A0: 20160808		

Specification		Top secret	
Draw up	Wang Yingying	Goods number	
Code	16156000002523	Model	
Version information	A0:20160808		