

Operating Manual
Breaking-food Soybean Milk Machine
Model: DJ12B-P17E



There is nothing difficult if you think it dexterously.

Security Consideration



In order to ensure the safety of use and avoid causing harm or property damage to you or others, please be sure to strictly abide by the following safety considerations

Icon		No		No drenching		No dismantling
Meaning		Instruction		No touching		Unplug the plug




This product must not be operated by children, people with mobility disabilities, people with mental disorders or will not use them alone, the elderly and people with disabilities should be used under guardianship and guidance.

- Please put it in a place outside the reach of the child, and inform the child that this product cannot be used for play.



This product is strictly prohibited from being wet or close to fire sources, heat sources, such as stoves. Avoid accidental ignition and cause fire or product damage.

- Do not use on inclined, unstable or heat-resistant countertops so as not to cause products to fall from high or cause fire.



When using this product, the socket with grounding device must be used, and please confirm that the voltage is in accordance with the local specification (220V~50Hz).


Do not use inferior plug-in transfer to avoid fire or electric shock.










- Hold the plug when unplugging, do not pull the power line, do not wet the hand to unplug, plug the power plug, so as not to cause electric shock.

- The power line plug must be kept clean and dry, do not bend the power line too much, bind or put it near high temperature, squeeze or hang the heavy object on a sharp object, otherwise it may cause fire and electric shock due to breakage of the power line.



If the power cable is damaged, it must be replaced with a special soft wire or








 <p>Please check the power cord, blade, spoiler and other components for damage before use. If there is damage, please stop using and contact the customer service staff to solve the problem.</p> <ul style="list-style-type: none"> Do not use accessories and accessories other than this product to avoid fire and personal injury. 	<p>a special component bought from its manufacturer or maintenance department.</p>
---	--

 <p>In use, do not close your face and hands to the steam valve steam port; when lifting the head, please be careful that the steam water on the steam pressure valve drips into your hand so as not to burn.</p> <ul style="list-style-type: none"> After pulping, due to the high temperature of the bottom cover and bucket body of all steel, do not touch it directly with your hands to prevent scald. 	 <p>Non-professionals are not allowed to disassemble at will, otherwise there is a risk of electric shock injury. If there is a failure, please go to the designated maintenance point to repair.</p> <p>In use, when the machine makes abnormal sound, smell or smoke, please stop using immediately and contact customer service department in a timely manner.</p>
 <p>It is prohibited to hold the head directly and lift the whole machine or motor directly.</p> <ul style="list-style-type: none"> Do not move the machine in the process of work, so as to avoid the overflow of food in 	 <p>This product strictly forbids long time no-load operation and overload use.</p> <ul style="list-style-type: none"> After pulping, please do not reheat, pulping, otherwise the bottom of the paste, overflow.

the bucket, resulting in scald, electric shock and other injury accidents.	Do not use soybean milk buckets
 <p>It is strictly forbidden to immerse the whole machine directly in water or other liquid</p> <ul style="list-style-type: none"> to avoid electric shock or damage to the machine. <p>Do not make water enter into power socket, couplers, if accidentally drenched, must be wiped dry before use.</p>	<ul style="list-style-type: none"> as containers (frozen, cooked or sterilized). <p>Do not put this product in the refrigerator or freezer, sharp</p> <ul style="list-style-type: none"> cooling will cause "condensate" in the head, which may cause the failure of the computer board in the head. <p>It is forbidden to clean the product with chemicals or volatile substances, otherwise it may cause discoloration, decoloring or fire.</p>
 <p>Do not leave when using this product, please turn off the</p> <ul style="list-style-type: none"> machine and unplug the power supply when you leave! <p>Be sure to cut off the power supply before cleaning or when the product is idle.</p>	 <p>This product is limited to ordinary household indoor use, do not use outdoors or for commercial and industrial purposes.</p>

温馨提示 Warm Reminder

 <p>Fresh soybean milk is easy to deteriorate for a long time. It is best to drink it now. It is recommended to drink it within 2 hours at room temperature.</p>	 <p>Infants and young children with renal failure and weak gastrointestinal function should choose low concentration soybean milk or reduce drinking amount as appropriate.</p>
---	--

	Do not exceed the water level calibration line on the inner wall of soybean milk bucket with ingredients and drinking water added.		The blade device of this product is sharp, please pay attention to prevent the blade from hurting the hand when operating and cleaning.
	Please select the function correctly according to the instructions and do not select the wrong function; if the error is selected, it may cause overflow and poor effect.		In order to make your machine clean and hygienic, please clean it in time after each use, so as not to be difficult to clean after a long period of use.
	Do not make an appointment for more than 8 hours at room temperature above 30 °C.		After each use of this machine, please interval 8 minutes, use again.
	It is normal for the stainless steel inner drum to turn green after working.		



产品规格 Product Specification

Name	Model	Heating Power	Power of Motor	Power	Rated Capacity
Breaking-fo od Soybean Milk Machine	DJ12B-P17 E	850W	200W	220V~ 50Hz	1.2L

Circuit Principle Diagram

Product Structure

Name of Components



Touch Panel



4

Product Usage


Instructions before Use

Remove all the packages. Remove the soy bucket from the soybean milk bucket.

Instructions for the Use of the

Annex:

■ Soak bean bucket can be used to hold soybean milk, according to the right picture before use to soak bean bucket handle must be installed in place.



1 量杯

$\frac{4}{5}$ 量杯



■ The filter screen is used for filtering the soybean milk.

■ The measuring cup is used to measure food. The picture on the right shows the measuring cup capacity:

3. Before initial use, thoroughly clean all parts in direct contact with food with a soft cloth (see Cleaning and

Maintenance).

4. Check whether the spoiler claw is deformed before use.

The spoiler claw on the head is prohibited from colliding to avoid deformation, otherwise it will lead to pulping failure or machine damage.

Operation Steps and Instructions

1. Prepare the ingredients according to the recipe

According to the dosage in the recipe, take the ingredients in a random quantity cup and clean them into the cup bucket, and then add drinking water to the water level calibration line.



It is suggested that the pulping effect of all hard ingredients should be better after soaking. The soaking time of dried beans and other hard ingredients is as follows:
In the north: 8 to 16 hours in spring or autumn,, 6 to 10 hours in summer, 10 to 16 hours in winter.

In the south: 5 to 6 hours in spring or summer, 8 to 9 hours in autumn or winter.



Food like meat needs to be removed from bone first.



Note

The capacity of the ingredients and water added should not exceed the maximum water level calibration line in the cup and barrel, as required by the instructions and recipes.

2

Put the head and turn on the power

① Align the upper couplers of the machine head with the lower couplers of the soybean milk bucket vertically on the soybean milk bucket.

②

Plug in the power cord, turn on the power supply, the machine alarm, indicator light, digital tube lit for 1 second into standby state, indicator cycle flicker, digital tube display "--".



Please put the head a little hard and tighten the couplers.

3 Selection Function

Operation Steps and Instructions of Non-reservation Function

①

Press the function key to select the required function of Luxiang soybean milk or walnut milk.

②

Press the "start/cancel" key again, the machine starts, the corresponding function indicator is always on, and the digital tube is displayed "[]".



③

The machine will be stirred and heated automatically according to the setting procedure.

The machine does not heat up when using the juice milkshake function.

When you need to switch or cancel the function, you can press the start/cancel key for a long time to enter the standby state.



注意
Note

- When making a drink, if you select the wrong function, it may lead to bad taste or paste, overflow, and not break.
- In the process of making the machine, there will be a small amount of steam coming out of the steam valve. Please do not get too close to avoid scalding.
- If the machine can continue to work within 3 minutes if there is an unexpected power outage or a short power outage during the use of the machine, the machine will automatically return to the initial power state after 3 minutes, so it is necessary to replace the selection function of the ingredients for operation.




The time required for all functions to complete pulping will vary slightly according to voltage, environment, temperature, ingredients, etc. The following is the working time of each function in the default state, for reference only.

Function	Infant supplementary food	Thick fragrant soybean milk	Five grain soybean milk	Walnut milk
Time (min)	45	35	35	10
Function	Good morning porridge	Coarse rice paste	Corn juice	Juice milkshake
Time (min)	40	25	26	4

Preparation of Materials

①

Take dry soybeans in a measuring cup:
1 full cup.



② The calibration line.



Make soybean milk

①

Turn on the power and press the "function" key to select the "thick fragrant soybean milk" function.



②

Then press the "start/cancel" key to enter the working state of thick fragrant soybean milk.



③

After about 35 minutes of work, soybean milk was made and returned to standby.


Cleaning and Maintenance

1 Cleaning Head of Machine

Disconnect the power supply and remove the pressure valve and barrel seal ring from the head after cooling the machine.

Gently pull the sealing ring of the bucket mouth up and down.

Note: do not pull hard, such as pulling deformation, will affect the sealing effect.




③

Steam valve, bucket mouth seal ring directly with clean water; machine head adhere to soybean milk or residue with soft cloth under tap water wipe clean; panel dirty, water beads with dry wet soft cloth wipe clean.



Do not immerse the head in the water!
It is prohibited to clean the upper part of the head directly with water to prevent the head from entering water and short circuit.



Please pay attention to the blade and hurt your hand!

2


Cleaning Soybean Milk Bucket

①

The inner part of the bucket is cleaned with soft cloth. If not timely cleaning, it is recommended to fill the bucket with water to soak for a while before cleaning with soft cloth.

②

The outside of the bucket can be wiped clean with a dry wet soft cloth; it is not appropriate to wipe with a steel ball or a hard rag to avoid surface scratches or coating shedding.





Do not immerse the bottom of the bucket in the water; do not wash the couplers with water, power Jack, to prevent water intake, dangerous.

3 Maintenance

※ Head of the machine, soybean milk bucket and other accessories should not be sterilized in disinfection cabinet or dried in microwave oven.

※

After the machine has been cleaned, in order to prevent the residual water from smelling, please dry it thoroughly with a dry rag, and then install the barrel sealing ring and steam pressure valve in place.

※

When not in use for a long time, please place the machine in a dry ventilation place.

Treatment Methods of Common Fault

Common Fault	Analysis of Causes	Solution
The machine does not have any reaction	The power plug is not in place	Re-place the head on the soybean milk bucket in the correct position
	The hand is not properly installed	Check that the power cord is in good contact with the plug
工作时有溢出现象产生 Spillover at work	Add too much or too little water	After cutting off the power supply and cleaning the ingredients in the soybean milk bucket, re-add the new ingredients according to the requirements of the instructions and start working.
	Press the wrong function key	
	Voltage is too high	Use household regulators
	Add too many ingredients	Add ingredients as required by the instructions
The crushing effect is not good or there is a whole residue	Add too little water	Add drinking water according to the requirements of water level
	Add too much or too little ingredients	Add ingredients as required by the instructions
	Voltage below level	Use household regulators

	When making rice paste, the meat ingredients do not remove tendons and bones, and do not cut into pieces	When the ingredients are meat, you should first remove the tendons and bones and cut them into pieces the size of wet soybeans
	Press the wrong function key	Operate correctly according to the instructions
Barrel overflow	Check to see if the bucket mouth seal ring is missing	Install the barrel sealing ring correctly as required
After the work, I found that the soybean milk was not cooked	Add too much water	Add drinking water according to the requirements of water level
	Add too many ingredients	Add ingredients as required by the instructions
	Check whether the water-proof coupler is in water	Dry water or natural drying in underwater couplers with dry cloth
Machine alarm, digital tube display E1 or E2	The amount of water to be added is too large to meet the anti-overflow electrode	Add drinking water according to the requirements of water level

Functional Recipe

Functions	Ingredients	Range of Capacity
Good morning porridge	One and a third cups of rice, about 140 g	Add drinking water to the water level line 1200ml
Thick fragrant soybean milk	One plain cup of dry bean, about 80 g	Add
Five grain soybean milk	Three fifth cup of dry bean, 10 g of coix seed and black rice, about the bottom of a cup (the total amount of several ingredients is one cup)	Add drinking water to the water level line 1200ml
Infant supplementary food	One and a third cups of rice, about 140 g, three fifth cup of purple potato diced, about 45 g	Add drinking water to the water level line 1200ml

Coarse rice paste	Three fifth cup of rice, about 65 g, three fifth cup of pumpkin (cut), 1.5 cups of oatmeal, add proper amount of honey after the end	Add drinking water to the water level line 1200ml
Walnut milk	Three fifth cup of cooked walnut, divided, about 35 g, three fifth cup cooked peanuts, about 40 g, 250ml of pure milk	Add cold boiled water to the water level line 1200ml
Juice milkshake	2 diced bananas (about 250 grams after peeling)	Add cold boiled water to the water level line 1200ml
Corn juice	3 cups of fresh corn, about 240 grams, 250 ml milk; add a little sugar after the end	Add cold boiled water to the water level line 1200ml

Hint: It is suggested that the size of grain size should be about 20x20 mm.