Is Your Patient Eligible for Hospice?

A checklist for clinicians including Emergency Department staff

General Hospice Eligibility Guidelines	
Consider hospice if a patient meets 2 or more:	
☐ Dependent in 2-3 of 6 ADLs	☐ 10% weight loss in 6 months
☐ SOB or fatigue at rest/minimal exertion	Recurrent falls with injury
☐ Multiple ED visits or hospitalizations	☐ Decreased tolerance in physical activity
Diamasis Cassifis Hasniss Flinibility Cuidelines	

Diagnosis-Specific Hospice Eligibility Guidelines

Sepsis

☐ Hospice-eligible but not previously identified

Prognosis worsens with the following complications:

- Vasopressors
- Mechanical ventilation
- Hyperlactemia
- Acute kidney injury
- Hepatic Injury
- Thrombocytopenia

Alzheimer's Disease and other Dementias

Consider hospice if patient meets both:

- ☐ Dependent in 3/6 ADLs
- ☐ One of these complications:
 - Pneumonia
 - Recurrent UTI
 - Sepsis
 - Weight loss 10%
 - Two stage 3 or 4 pressure ulcers
 - Hip fracture
 - Swallowing difficult
 - Feeding tube decision
 - Delirium



Lung Disease

Consider hospice if patient meets both:

- ☐ Dyspnea at rest and/or with minimal exertion while on oxygen therapy
- ☐ One of these disease progressions:
 - Frequent ED visits and/or hospitalizations
 - Cor pulmonale

Cancer

Consider hospice if patient meets both:

- ☐ Spend 50% of time in bed or chair during waking hours
- ☐ No longer pursuing chemotherapy and/or immunotherapy

Heart Disease

Consider hospice if patient meets all:

- ☐ NYHA Class III or IV (Fatigue, angina, or dyspnea at rest and/or with minimal exertion)
- ☐ Multiple ED visits and hospitalizations
- ☐ Not a surgical candidate

Liver Disease

Consider hospice if patient meets both:

- \square INR > 1.5 and serum albumin \leq 2.5 g/dL
- ☐ One of these complications:
 - Recurrent ascites
 - Spontaneous Bacterial Peritonitis (SBP)
 - Hepatic encephalopathy
 - Variceal bleed
 - Weight loss 10%
 - HRS