


BUPRENORPHINE QUICK START - Harbor-UCLA 2020

More Info?
ED-Bridge.org



Provider Questions about Buprenorphine?

- Severe illness or non-opioid intoxication
- Opioid overdose s/p naloxone reversal
- Symptoms not resolved after 24mg SL Bup
- Long Acting Agents (Methadone)
- Concurrent Mind Altering (benzos, etoh)

Consider Consult to:

1. **Poison Control (1-800-222-1222)**
OR
2. **UCSF Substance Use Warmline (1-855-300-3595): M-F 6am-5pm**

Addiction certified MD, RN, clinical pharmacists

Bup Bridge Follow Up (2 Steps)

1. **All Patients: Social Work Consult:** Reason for consult (Substance Abuse – MAT). Social work will provide education to all patients.

AND ONE OF THE FOLLOWING

A. DHS DHS Eligible:

Can walk into:
Adult Medicine Primary Care Clinic in PCDC Basement
Monday and Thursday 7:30a-10AM. No apt needed.

OR

Lomita Clinic
Tuesday and Friday AM 8a-10a

Primary Care & Diagnostic Center (PCDC) Basement Clinic C
1000 W. Carson Street
Torrance, CA 90502
(310) 222-8221

Lomita Clinic*
1430 West Lomita Blvd. 2nd Floor
Harbor City, CA 90710
(310) 534-7600

*For any questions, please message Gloria Sanchez, MD via
Orchid/Outlook/HIPPABridge

B. DHS, DHS Eligible, MyHealth LA:

Can walk into LAC+USC Urgent Care
**Tuesday-Thursday & Saturday 8a-7p. No apt
needed.**

LAC+USC Medical Center Urgent Care
2051 Marengo St., 2nd Floor D/T Building
Los Angeles, CA 90033
(323) 409-1000

C. All Patients (MyHealthLA or OOP and also DHS if they can't wait for the other days):

Tarzana Treatment Center. **24/7. No apt needed.**

TARZANA Treatment Center
5190 Atlantic Avenue
Long Beach, CA 90805
(562) 428-4111

UPON DISCHARGE:

1. Confirm Patient Contact Information
2. Provide OVERDOSE Education
3. Prescribe Naloxone 4mg/0.1mL intranasal spray
4. Add Discharge Diagnosis: Opiate Use Disorder and/or Opioid Withdrawal
5. D/C Instructions: Bup Start (custom)
6. All patients - f/u PMD in 1-2 weeks